ATTACHMENT 3

Cycle Safety and Mobility Improvements - 2020-2021 Prioritised List of Projects

KEY: SI = Safety Improvement (35% Weighting) NE = Network Enhancement (25% Weighting) C = Connectivity (25% Weighting) SCN = Strategic Cycle Network (15% Weighting)

| | | | | | | CRITERIA NOTES | | | CRI | TERIA SCO | RE | | WEIG | SHTED SCO | DRE | | 1 | |
|---------------------|--|------------------|----------|---|----------------|---|--|--|---|-----------|----|----|------|-----------|------------|---------------|------------------|----|
| STREET | LOCATION | SUBURB | DIVISION | PROJECT DESCRIPTION | ASSET # | SI | NE | с | SCN | SI | NE | С | SCN | SI 35% | NE 25% C 2 | 5% SCN 15% | OVERALI SCORE | |
| Chermside Road | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216995 +216993 | Chermside Road and queen Victoria | Not an existing cycle facility | Within 100m of a School | Principal Transport | 10 | 4 | 8 | 10 | 35 | 10 2 | 0 15 | 80 | 1 |
| Bell Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217568 | squeeze poing at a roundabout intersection | Not an existing cycle facility | Located within an Activity Centre | Bell Street is a Principal Cycle Route | 8 | 4 | 10 | 10 | 28 | 10 2 | 5 15 | 78 | 2 |
| Bremer Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217559 | located on bridge = potential squeeze | Not an existing cycle facility | Within an Activity Centre | Pine Street is a Principal Cycle Route | 8 | 4 | 10 | 10 | 28 | 10 2 | 5 15 | 78 | 3 |
| Ellenborough Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 218019 | Ellenborough St is a Sub-Arterial | Not an existing cycle facility | Within a Principal Activity Centre | Principal Transport | 8 | 4 | 10 | 10 | 28 | 10 2 | 5 15 | 78 | 4 |
| Henty Drive | Narrow Lane | Redbank Plains | 3 | Replace unsafe road drainage grate | 227718 | center island. Located at the | Not an existing cycle facility | Within 100m of Kruger State School | Henty Drive is a Principal Cycle Route | 9 | 4 | 8 | 10 | 31.5 | 10 2 | 0 15 | 77 | 5 |
| Henty Drive | Narrow Lane | Redbank Plains | 3 | Replace unsafe road drainage grate | 227719 | indexection of United at the | Not an existing cycle facility | Within 100m of Kruger State School | Henty Drive is a Principal Cycle Route | 9 | 4 | 8 | 10 | 31.5 | 10 2 | 0 15 | 77 | 6 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Provide connection from path to road | N/A | staceetjon of a Heatucetra ne d width/entry point + potentially | project extends cycle facility | Within 500m of train station | Principal Transport | 10 | 6 | 4 | 10 | 35 | 15 1 | .0 15 | 75 | 7 |
| Toongarra Road | Right Side of Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 923559 | Located at a pinch point due to the | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 8 | 4 | 8 | 10 | 28 | 10 2 | 0 15 | 73 | 8 |
| Brisbane St | Brisbane St, North side, Outside No 283 Brisbane Rd | West Ipswich | 7 | Replace unsafe road drainage grate | 218987 | Community concern, Arterial road, narrow lanes, high risk hazard | User experience improvement by elimination of hazard | f Within a Principal Activity Centre | Local | 8 | 4 | 10 | 6 | 28 | 10 2 | 5 9 | 72 | 9 |
| Toongarra Rd | Toongarra Rd, North of Aspinall Intersection, West side kerb | Wulkuraka | 6 | Replace unsafe road drainage grate | 219621 | Arterial road, intersection, significant risk hazard | User experience improvement by elimination of hazard - from existing cycle facility | f Within 1km of a major public transport station | Secondary Transport | 8 | 10 | 2 | 8 | 28 | 25 | 5 12 | 70 | 10 |
| Thorn Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 873676 | and Gray Street + Thorn Street is a | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 7 | 4 | 8 | 10 | 24.5 | 10 2 | 0 15 | 70 | 11 |
| Cascade St | Cascade St, West of Sth Station, North side kerb | Raceview | 4 | Replace unsafe road drainage grate | 225502 | Sub-arterial road, intersection, high risk hazard | User experience improvement by elimination of hazard | Within 250m of a school | Local Transport | 10 | 4 | 6 | 6 | 35 | 10 1 | 5 9 | 69 | 12 |
| Cascade St | Cascade St, West of Sth Station Rd, South side kerb | Raceview | 4 | Replace unsafe road drainage grate | 225503 | Sub-arterial road, significant risk hazard | User experience improvement by elimination of hazard | Within 250m of a school | Local Transport | 10 | 4 | 6 | 6 | 35 | 10 1 | 5 9 | 69 | 13 |
| Bremer Street | Right Side of Lane | Ipswich | 7 | Replace unsafe road drainage grate | 218039 | Bremer Street is a Sub-Arterial + located at pinch point under bridge | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 8 | 4 | 10 | 4 | 28 | 10 2 | 5 6 | 69 | 14 |
| Bremer Street | Right Side of Lane | lpswich | 7 | Replace unsafe road drainage grate | 217574 | traffic island + Bremmer Street is a | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 8 | 4 | 10 | 4 | 28 | 10 2 | 5 6 | 69 | 15 |
| Bremer Street | Right Side of Lane | lpswich | 7 | Replace unsafe road drainage grate | 217696 | Eubaletrai d pinch point due to the traffic island + Bremmer Street is a | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 8 | 4 | 10 | 4 | 28 | 10 2 | 5 6 | 69 | 16 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227793 | Kruger Parade is a Sub-Arterial + at a pinch point | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 8 | 4 | 6 | 10 | 28 | 10 1 | 5 15 | 68 | 17 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227794 | Kruger Parade is a Sub-Arterial + at a pinch point | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 8 | 4 | 6 | 10 | 28 | 10 1 | 5 15 | 68 | 18 |
| North Station Rd | North Station Rd, North of Thurso St, West side kerb | North Booyal | 4/5 | Replace unsafe road drainage grate | 222915 | Sub-arterial road, intersection, high risk hazard | User experience improvement by elimination of hazard | f Within 250m of a major public transport station | Secondary Transport | 8 | 4 | 6 | 8 | 28 | 10 1 | .5 12 | 65 | 19 |
| North Station Rd | North Station Rd, South of Thurso St, West side kerb | North Booval | 4/5 | Replace unsafe road drainage grate | 222958 | Sub-arterial road, intersection, high risk hazard | User experience improvement by elimination of hazard | f Within 250m of a major public transport station | Secondary Transport | 8 | 4 | 6 | 8 | 28 | 10 1 | 5 12 | 65 | 20 |
| Brennan St | Brennan St, West of Jones St, South Side kerb | Bellbird Park | 2 | Replace unsafe road drainage grate | 229958 | Arterial road, intersection, high risk hazard | User experience improvement by elimination of hazard | f Within 1km of a major public transport station | Principal Transport | 10 | 4 | 2 | 10 | 35 | 10 | 5 15 | 65 | 21 |
| Old Logan Road | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231175 | Boulevard and Old Logan Road + Mur | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 10 | 4 | 2 | 10 | 35 | 10 | 5 15 | 65 | 22 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225501 | Cascade Street and South Station | Not an existing cycle facility | Within 500m of a School | Local Transport | 10 | 4 | 4 | 6 | 35 | 10 1 | .0 9 | 64 | 23 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 224650 | Robertson road and Kiah Street + | BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 4 | 10 | 4 | 10 | 14 | 25 1 | .0 15 | 64 | 24 |
| Robertson Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 224657 | Robertson Road is a Sub-Arterial + Located at the intersection of | BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 4 | 10 | 4 | 10 | 14 | 25 1 | .0 15 | 64 | 25 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 225051 | Robertson road and Minnis Street + | BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 4 | 10 | 4 | 10 | 14 | 25 1 | .0 15 | 64 | 26 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226047 | Collingwood Drive is a Sub-Arterial | BAZ on Collingwood Drive | Within 100m of a School | Secondary Transport | 2 | 10 | 8 | 8 | 7 | 25 2 | 0 12 | 64 | 27 |
| Garden Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217429 | and Garden Street + Thorn Street is a | Not an existing cycle facility | Within Activity Centre | Principal Transport | 4 | 4 | 10 | 10 | 14 | 10 2 | 5 15 | 64 | 28 |
| Garden Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217430 | LociateGallarie intersection or morn and Garden Street + Thorn Street is a | Not an existing cycle facility | Within Activity Centre | Principal Transport | 4 | 4 | 10 | 10 | 14 | 10 2 | 5 15 | 64 | 29 |
| Garden Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217431 | and Garden Street + Thorn Street is a | Not an existing cycle facility | Within Activity Centre | Principal Transport | 4 | 4 | 10 | 10 | 14 | 10 2 | 5 15 | 64 | 30 |
| Thorn Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217433 | LocateGallateIntersection or morn Street and Garden Street + Thorn | Not an existing cycle facility | Within Activity Centre | Principal Transport | 4 | 4 | 10 | 10 | 14 | 10 2 | 5 15 | 64 | 31 |
| Minnis Street | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 225052 | Etrcateir active Artersection of Robertson road and Minnis Street + | Robertson Road BAZ | Within 500m of Activity Centre | Principal Transport | 4 | 10 | 4 | 10 | 14 | 25 1 | 0 15 | 64 | 32 |
| Ellenborough Street | Right Side of Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217603 | Street and Ellenborough Street + | Not an existing cycle facility | Within Activity Centre | Principal Transport | 4 | 4 | 10 | 10 | 14 | 10 2 | 5 15 | 64 | 33 |
| Moffatt St | Moffatt St, East of Pound St, North side kerb | West Ipswich | 7 | Replace unsafe road drainage grate | 221012 | Sub-arterial road, intersection, high risk hazard | User experience improvement by elimination of hazard | Within 500m of a school | Principal Transport | 8 | 4 | 4 | 10 | 28 | 10 1 | 0 15 | 63 | 34 |
| South Station Road | Narrow Lane | Raceview | 7 | Replace unsafe road drainage grate | 225297 | South Station Road is a Sub -Arterial Road + located at a squeeze point. | Not an existing cycle facility | Within 500m of a School | Principal Transport | 8 | 4 | 4 | 10 | 28 | 10 1 | 0 15 | 63 | 35 |

| | T. | 1 | | | | | | 1 | | | | | | | | | 1 | |
|---------------------|---|-------------------|-----|-------------------------------------|--------|--|---|--|--|---|------|------|------|----|----|-----|----|----|
| Robertson Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224625 | | kZ on Robertson Road | Within 250m of a School | Principal Transport | 2 | 10 | 6 10 | 7 | 25 | 15 | 15 | 62 | 36 |
| Gledson Street | Wide Lane - Lane Treatments | North Booval | 4 | Replace unsafe road drainage grate | 222837 | | ot an existign cycle facility | Within 250m of Activity Centre | Secondary Transport | 7 | 4 | 6 8 | 24.5 | 10 | 15 | 12 | 62 | 37 |
| Gledson Street | Wide Lane - Lane Treatments | North Booval | 4 | Replace unsafe road drainage grate | 222838 | | ot an existign cycle facility | Within 250m of Activity Centre | Secondary Transport | 7 | 4 | 6 8 | 24.5 | 10 | 15 | 12 | 62 | 38 |
| Bognuda Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 215288 | | ot an existing cycle facility | Within 250m of a School | Secondary Transport | 7 | 4 | 6 8 | 24.5 | 10 | 15 | 12 | 62 | 39 |
| Bognuda Street | Wide Lane - More than 5m | Bundamha | 4 | Replace unsafe road drainage grate | 215290 | | ot an existing cycle facility | Within 250m of a School | Secondary Transport | 7 | 4 | 6 8 | 24.5 | 10 | 15 | 12 | 62 | 40 |
| Bognuda Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 215296 | Bognuda Street and Wall Street + Not | ot an existing cycle facility | Within 250m of a School | Secondary Transport | 7 | 4 | 6 8 | 24.5 | 10 | 15 | 12 | 62 | 41 |
| Workshops Street | Wide Lane - More than 5m | Brassall | - | Replace unsafe road drainage grate | 232409 | located at the intersection of Workshops Street and Albion Street. | tends on Brassall Bikeway | Within Activity Centre | Within 500m of a Cycle Route | 2 | 10 1 | 10 3 | 7 | 25 | 25 | 4.5 | 62 | 42 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 2 | Replace unsafe road drainage grate | 236239 | Located at the intersection to Lawrie | cated at the end of a bikeway | Within 500m of a School | Located within 500m of a Cycle Route | 9 | 6 | 4 3 | 31.5 | 15 | 10 | 4.5 | 61 | 43 |
| Collingwood Drive | | | 3 | Replace unsafe road drainage grate | | Collignwood Drive and Goss Drive + BAZ | kZ on Collingwood Drive | Within 500m of Activity Centre | Secondary Transport | 4 | 10 | 4 8 | 14 | 25 | 10 | 12 | 61 | 44 |
| Collingwood Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226159 | Collignwood Drive and Goss Drive + BAZ | AZ on Collingwood Drive | Within 500m of Activity Centre | Secondary Transport | 4 | 10 | 4 8 | 14 | 25 | 10 | 12 | 61 | 45 |
| Brisbane Road | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 226160 | Squeeze point due to island at Not intersection | ot an existing cycle facility | Within an Activity Centre | Located within 500m of a Cycle Route | 6 | 4 1 | 10 3 | 21 | 10 | 25 | 4.5 | 61 | 46 |
| Brisbane Road | Narrow Lane | Booval | 4 | Replace unsafe road drainage grate | 224007 | Squeeze point due to island at | ot an existing cycle facility | Within an Activity Centre | Located within 500m of | 6 | 4 1 | 10 3 | 21 | 10 | 25 | 4.5 | 61 | 47 |
| King Edward Parade | Narrow Lane | Booval | 4 | Replace unsafe road drainage grate | 224009 | intersection King Edward Parade is a major Exis | isting Cycle Facility - on road lane | Within 100m of Activity Centre | a Cycle Route Secondary Transport | 1 | 10 | 8 8 | 3.5 | 25 | 20 | 12 | 61 | 48 |
| King Edward Parade | Bicycle Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216950 | King Edward Parade is a major | | Within 100m of Activity Centre | Secondary Transport | 1 | | 8 8 | 3.5 | + | 20 | 12 | 61 | 49 |
| King Edward Parade | Bicycle Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216951 | collector King Edward Parade is a major Fxi | isting Cycle Facility - on road lane | Within 100m of Activity Centre | Secondary Transport | | | 8 8 | 3.5 | + | 20 | 12 | 61 | 50 |
| King Edward Parade | Bicycle Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216952 | King Edward Parade is a major | isting Cycle Facility - on road lane | Within 100m of Activity Centre | Secondary Transport | 1 | | 8 8 | | | 20 | 12 | 61 | 51 |
| King Edward Parade | Bicycle Lane | Ipswich | 7 | | 216953 | Collector King Edward Parade is a major | | Within 100m of a School | Secondary Transport | 1 | | 8 8 | 3.5 | | 20 | 12 | 61 | 52 |
| | Bicycle Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216961 | King Edward Parade is a major | isting Cycle Facility - on road lane | | | | | | | | 20 | | 61 | |
| King Edward Parade | Bicycle Lane | Ipswich | 7 | Replace unsafe road drainage grate | 216962 | collector | isting Cycle Facility - on road lane | Within 100m of a School | Secondary Transport | | | | 3.5 | | | 12 | | 53 |
| Blackall Street | Bicycle Lane | Ipswich | 5 | Replace unsafe road drainage grate | 217004 | - | isting Cycle Facility - on road lane | Within 100m of a School | Secondary Transport | 1 | | 8 8 | 3.5 | | 20 | 12 | 61 | 54 |
| Blackall Street | Wide Lane - Lane Treatments | Ipswich | 5 | Replace unsafe road drainage grate | 216965 | · · | cated on a bike lane er experience improvement by elimination of | Within 100m of a School | Secondary Transport | 1 | | 8 8 | - | | 20 | 12 | 61 | 55 |
| North Station Rd | North Station Rd, South of Calthness St, West side kerb | North Booval | 4/5 | Replace unsafe road drainage grate | 222916 | risk hazard haz | zard | transport station | Secondary Transport | 8 | 4 | 4 8 | 28 | 10 | 10 | 12 | 60 | 56 |
| North Station Rd | North Station Rd, North of Caithness St, West side kerb | North Booval | 4/5 | Replace unsafe road drainage grate | 222917 | | er experience improvement by elimination of zard | transport station | Secondary Transport | 8 | 4 | 4 8 | 28 | 10 | 10 | 12 | 60 | 57 |
| Keidges Road | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 943028 | Sub arterial road intersection Not | ot an existing cycle facility | Redbank Plains State High | Keidges Road is a Principal Cycle Route | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 58 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 221595 | Cascade Street and Raceview Street + Not | ot an existing cycle facility | Within 100m of a School | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 59 |
| Brisbane Road | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 227177 | | ot an existing cycle facility | Within 100m of Major Public Transport Station | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 60 |
| Brisbane Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217873 | Street and Ellenborough Street + No | ot an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 61 |
| Norman Street | Narrow Lane | Basin Pocket | 5 | Replace unsafe road drainage grate | 217015 | Chermside Road and Norman Street + Nor | ot an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 62 |
| Chermside Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 217493 | Chermside Road and Tower Street + Not | ot an existing cycle facility | Within 100m of a School | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 63 |
| Ellenborough Street | Wide Lane - 2 Lane Traffic | Ipswich | 7 | Replace unsafe road drainage grate | 217604 | | ot and existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 64 |
| Ellenborough Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217874 | Brisbane Street and Ellenborough Not | ot an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 65 |
| North Station Road | Wide Lane - More than 5m | North Booval | 5 | Replace unsafe road drainage grate | 222927 | | ot an existing cycle facility | Within 100m of Major Public Transport Station | Located on a Principal Cycle Route | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 66 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | A | Replace unsafe road drainage grate | 224678 | Station Road and Rodney Street + Nor | ot an existing cycle facility | Within 100m of a School | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 67 |
| Collingwood Drive | Wide Lane - 2 Lane Traffic | Collingwood Park | 2 | Replace unsafe road drainage grate | 226051 | Collingwood Drive is a Sub-Arterial BA | kZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 7 | 25 | 15 | 12 | 59 | 68 |
| Norman Street | | | 5 | Replace unsafe road drainage grate | | Street and Norman Street + Norman Nor | ot an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 69 |
| Burnett Street | Wide Lane - 2 Lane Traffic | East Ipswich | _ | Replace unsafe road drainage grate | 217014 | Etrcateir active Antersection or Burnett Street and Cribb Street + Burnett Not | ot an existing cycle facility | Within 100m of a School | Principal Transport | 4 | 4 | 8 10 | 14 | 10 | 20 | 15 | 59 | 70 |
| Collingwood Drive | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218506 | Stroot is Sub Astorial | sZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 7 | 25 | 15 | 12 | 59 | 71 |
| Kruger Parade | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226065 | Located at the intersectio or kruger | ot an existign cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | | 8 10 | 14 | | 20 | 15 | 59 | 72 |
| Chermside Road | Wide Lane - More than 5m | Redbank Plains | 3 | Replace unsafe road drainage grate | 227792 | Chermside Road and Brisbane Road + Not | | Within 100m of a School | Principal Transport | 4 | | 8 10 | | + | 20 | 15 | 59 | 73 |
| Collingwood Drive | Wide Lane - 2 Lane Traffic | Ipswich | 7 | Replace unsafe road drainage grate | 216988 | Charmeida Road is a Sub Astorial | kZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | | 6 8 | 7 | 25 | 15 | 12 | 59 | 74 |
| Coningwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | nepiace urisare road drainage grate | 226066 | Comingwood Drive is a Sub-Arterial BAA | AZ ON CONINGWOOD DRIVE | WILLIE ZOUTH OF A SCHOOL | secondary Transport | 2 | 10 | υ 8 | | 25 | 15 | 12 | 29 | /4 |

| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226067 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 3 | 25 | 1 | 5 12 | 59 | 75 |
|----------------------------------|---|------------------|---|---|--------|--|--|---|---|----|------|------|-------|-----|------|----|-----|
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226068 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 3 | 25 | 1 | 5 12 | 59 | 76 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226069 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 3 | 25 | 1 | 5 12 | 59 | 77 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226240 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 250m of a School | Secondary Transport | 2 | 10 | 6 8 | 3 | 25 | 1 | 5 12 | 59 | 78 |
| Ellenborough Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 249712 | Ellenborough Street and South Street Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 1 | 0 1 | 4 10 |) 2 | 0 15 | 59 | 79 |
| Bridson Avenue | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216986 | <u>เหมือนชาสินสาสคาโปยาร์ชัดเอาโชโ</u> Chermside Road and Bridson Avenue Not an existing cycle facility | Within 100m of a School | Principal Transport | 4 | 4 | 8 1 | 0 1 | 4 10 | 2 | 0 15 | 59 | 80 |
| Mary Street | Incorrect K&C | Blackstone | 4 | Replace unsafe road drainage grate | 224919 | <u>toClaremaid in Enrichise Citih จาก inity</u> Street and Jones Street + Mary Street Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 1 | 0 1 | 4 10 |) 2 | 0 15 | 59 | 81 |
| Norman Street | Wide Lane - Lane Treatments | Basin Pocket | 5 | Replace unsafe road drainage grate | 217009 | Cocace d करोते e mersection of Norman Street and Deacon Street + Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 1 | 0 1 | 4 10 |) 2 | 0 15 | 59 | 82 |
| Norman Street | Wide Lane - Lane Treatments | East Ipswich | - | Replace unsafe road drainage grate | 217010 | <u>Rocarea के time fine fise fise fise fise fise fise fise fis</u> | Within 100m of Activity Centre | Principal Transport | 4 | 4 | 8 1 | 0 1 | 4 10 |) 2 | 0 15 | 59 | 83 |
| Ash Street | Narrow Lane | Yamanto | , | Replace unsafe road drainage grate | 222331 | Sub-Arterial Road at narrowed bridge crossing. Not an existing cycle facility | Within 1km of Amberley District State College | Ash Street is a Principal Cycle Route | 8 | 4 | 2 1 | 0 2 | 8 10 |) 5 | 15 | 58 | 84 |
| Ash Street | | | | Replace unsafe road drainage grate | | Sub-Arterial Road at narrowed bridge crossing. Not an existing cycle facility | Within 1km of Amberley District State College | Ash Street is a Principal Cycle Route | 8 | 4 | 2 1 | 0 2 | 8 10 |) 5 | 15 | 58 | 85 |
| Ash Street | Narrow Lane | Yamanto | 8 | Replace unsafe road drainage grate | 222332 | Sub-Arterial Road at narrowed bridge Not an existing cycle facility | Within 1km of Amberley | Ash Street is a Principal | 8 | 4 | 2 1 | 0 2 | 8 10 |) 5 | i 15 | 58 | 86 |
| Ash Street | Narrow Lane | Flinders View | 8 | Replace unsafe road drainage grate | 238255 | crossing. Sub-Arterial Road at narrowed bridge crossing. Not an existing cycle facility | District State College Within 1km of Amberley | Cycle Route Ash Street is a Principal | 8 | 4 | 2 1 | 0 2 | 8 10 |) 5 | 15 | 58 | 87 |
| Old Logan Road | Narrow Lane | Flinders View | 8 | Replace unsafe road drainage grate | 238257 | crossing. Located at the intersection of Old Locan Road and Steven Street + Old Not an existing cycle facility | District State College Within 1km of Activity Centre | Cycle Route Principal Transport | 8 | | 2 1 | - | - | _ | | 58 | 88 |
| Aspinall Street | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231230 | Aspinall Street is a Major Collector + Not an existing cycle facility | Within 1km of a School | Principal Transport | 8 | | 2 1 | - | 8 10 | _ | | 58 | 89 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | | 218836 | Aspinall Street is a Major Collector + | Within 1km of a Major Public | Principal Transport | 8 | | 2 1 | | 8 10 | _ | | 58 | 90 |
| | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218863 | pinch point due to island Aspinall Street is a Major Collector + | Transport Station Within 1km of a Major Public | ., | | | | _ | | _ | | | |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218864 | pinch point due to island Aspinall Street is a Major Collector + | Transport Station | Principal Transport | 8 | | 2 1 | | | _ | | 58 | 91 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218890 | pinch point due to island Assignal Street is a Major Collector + | Within 1km of a School | Principal Transport | 8 | - | 2 1 | | 8 10 | _ | | 58 | 92 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218894 | pinch point due to island cocaecia at the intersection or morn | Within 1km of a School | Principal Transport | 8 | 4 | 2 1 | 0 2 | 8 10 | 5 | 15 | 58 | 93 |
| Garden Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217444 | Street and Garden Street + Garden Not an existing cycle facility | Within Activity Centre | Secondary Transport | 3 | 4 | 10 8 | 3 10 | .5 10 |) 2 | 5 12 | 58 | 94 |
| King Edwards Pde | King Edward Pde, northern side, at intersection with and Marsden Pde, on shared path | Ipswich Central | 7 | Install transition ramp between shared path and bicycle lane | N/A | Not particularly hazardous, sub- arterial road User experience improvement to existing facility | Within 100m of a school | Principal Transport | 2 | 6 | 8 1 | 0 | 15 | 2 | 0 15 | 57 | 95 |
| Queen Victoria Pde Service Rd | Queen Victoria Pde Service Rd, Approximately 60m west Chermside Rd | Ipswich | 7 | Install transition ramp between footpath and service road | N/A | Service road, may prevent hazardous User experience improvement by improved behaviour access | Within 100m of a school | Principal Transport | 2 | 6 | 8 1 | 0 | 15 | 2 | 0 15 | 57 | 96 |
| lacaranda Street | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222932 | Jacaranda Street is a Sub-Arterial Project enables the extension of cycle facilities along Jacaranda Street. | Within 100m of Major Public Transport Station | Located on a Principal Cycle Route | 2 | 6 | 8 1 | 0 | 15 | 2 | 0 15 | 57 | 97 |
| lacaranda Street | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222935 | Jacaranda Street is a Sub-Arterial Project enables the extension of cycle facilities along Jacaranda Street. | Within 100m of Major Public Transport Station | Located on a Principal Cycle Route | 2 | 6 | 8 1 | 0 | 15 | 2 | 0 15 | 57 | 98 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225504 | Cascade Street and South Station Not an existing cycle facility | Within 500m of a School | Local Transport | 8 | 4 | 4 (| 5 2 | 8 10 | 1 | 0 9 | 57 | 99 |
| Robertson Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 224629 | Robertson Road ia a Sub-Arterial BAZ on Robertson Road | Within 500m of a School | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 100 |
| Robertson Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 224630 | Robertson Road ia a Sub-Arterial BAZ on Robertson Road | Within 500m of a School | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 101 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 224648 | Robertson Road ia a Sub-Arterial BAZ on Robertson Road | Within 500m of a School | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 102 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 225047 | Robertson Road is a Sub-Arterial BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 103 |
| Robertson Road | | | - | Replace unsafe road drainage grate | | Robertson Road is a Sub-Arterial BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 104 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | _ | Replace unsafe road drainage grate | 225048 | Robertson Road is a Sub-Arterial Road BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 105 |
| Robertson Road | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 225055 | Robertson Road is a Sub-Arterial Road BAZ on Robertson Road | Within 500m of Activity Centre | Principal Transport | 2 | 10 | 4 1 | 0 | 25 | 1 | 0 15 | 57 | 106 |
| Clifton Street | Wide Lane - Lane Treatments | Eastern Heights | 7 | Replace unsafe road drainage grate | 225056 | Located at the intersection of Clifton Street and South Station Road Not an existing cycle facility | Within Activity Centre | Principal Transport | 2 | 4 | 10 1 | 0 | , 10 |) 2 | 5 15 | 57 | 107 |
| Brisbane Road | Wide Lane - More than 5m | Booval | 5 | Replace unsafe road drainage grate | 223979 | Street and South Station Road Brisbane Road is a Sub-Arterial Road Located near the end of a bicycle lane | Within 100m of Major Public | Principal Transport | 2 | | 8 1 | | | | | 57 | 108 |
| Brisbane Road | Right Side of Lane | Redbank | 2 | Replace unsafe road drainage grate | 226934 | Brisbane Road is a Sub-Arterial Road Located near the end of a bicycle lane | Transport Station Within 100m of Major Public | Principal Transport | 2 | | 8 1 | | | | | 57 | 109 |
| Thorn Street | Right Side of Lane | Redbank | 2 | | 226935 | | Transport Station Within Activity Centre | Principal Transport | 2 | | 10 1 | | - 13 | - | | 57 | 110 |
| | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217434 | Thorn Street is a Sub-Arterial Not an existing cycle facility Major collector road, intersection, User experience improvement by elimination of | • | ., | _ | | | - | | | | | |
| Bognuda St | Bognuda St, South of Bird St, East side kerb | Bundamba | 4 | Replace unsafe road drainage grate | 215289 | high risk hazard hazard cocated at the intersection of Darning | Within 500m of a school Within 100m of Ipswich | Secondary Transport Darning Street East is a | 7 | - | | - | .5 10 | | 0 12 | 57 | 111 |
| Darling Street East | Wide Lane - More than 5m | Woodend | 7 | Replace unsafe road drainage grate | 217806 | Street East and Waghorn Street + Not an existing cycle facility Docareo arene-intersection or oaining | Grammar School | Secondary transport | 4 | | 8 1 | | - | | | 56 | 112 |
| Darling Street East | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217804 | Street East and Waghorn Street + Not an existing cycle facility | Within 100m of Activity Centre | Secondary Transport | 4 | 4 | 8 8 | 3 1 | 4 10 |) 2 | 0 12 | 56 | 113 |

| | | | | | | | | I | | | | - 1 | - 1 | | | | П | |
|------------------------|---|--------------------------|-----|------------------------------------|--------|---|--|---|----|----|-----|-----|------|----|-----|-----|----|-----|
| Robertson Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 224624 | Robertson Road ia a Sub-Arterial BAZ on Robertson Road | Within 250m of a School | Local Transport | 2 | 10 | 6 | 6 | 7 | 25 | 15 | 9 | 56 | 114 |
| Robertson Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 224627 | Robertson Road ia a Sub-Arterial BAZ on Robertson Road | Within 250m of a School | Local Transport | 2 | 10 | 6 | 6 | 7 | 25 | 15 | 9 | 56 | 115 |
| Blackstone Road | Narrow Lane | Silkstone | 4 | Replace unsafe road drainage grate | 224435 | Sub-Arterial Road at narrowed bridge crossing. Not an existing cycle facility | School, Bundamba State | Street is a Principal | 8 | 4 | 1 : | 10 | 28 | 10 | 2.5 | 15 | 56 | 116 |
| Omar Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 220719 | Street and Omar Street + Omar Not an existing cycle facility Firethic a Main Collection I was yet a collection of the | Within 100m of a School | Principal Transport | 3 | 4 | 8 : | 10 | 10.5 | 10 | 20 | 15 | 56 | 117 |
| Mary Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223292 | Street and Bryne Street + Mary Street Not an existing cycle facility | Within 100m of a School | Principal Transport | 3 | 4 | 8 : | 10 | 10.5 | 10 | 20 | 15 | 56 | 118 |
| Mary Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223293 | ico:Aleo:ar inlersection or mary Street and Bryne Street + Mary Street Not an existing cycle facility | Within 100m of a School | Principal Transport | 3 | 4 | 8 : | 10 | 10.5 | 10 | 20 | 15 | 56 | 119 |
| North Station Rd | North Station Rd, South of Gledson St, East side kerb | North Booval | 4/5 | Replace unsafe road drainage grate | 222851 | Sub-arterial road, intersection, high risk hazard lazard lazard lazard | f Within 1km of a major public transport station | Secondary Transport | 8 | 4 | 2 | 8 | 28 | 10 | 5 | 12 | 55 | 120 |
| Toongarra Road | Right Side of Lane | Leichhardt | 4,3 | Replace unsafe road drainage grate | 219544 | lane), located at an interesection, Not an existing cycle facility | Within 500m of a School | 0 | 10 | 4 | 4 | 0 | 35 | 10 | 10 | 0 | 55 | 121 |
| Haigslea Amberley Road | | Walloon | - 6 | Replace unsafe road drainage grate | | Haigslea Amberley Rd is a Rural Arterial Not an existing cycle facility | Within an Activity Centre | Located on a Secondary Transport Cycle Route | 2 | 4 | 10 | 8 | 7 | 10 | 25 | 12 | 54 | 122 |
| Namatjira Drive | Narrow Lane | | 10 | Replace unsafe road drainage grate | 219878 | art the intersection of Dargie Avenue and Namatijira Drive + Namatijira Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 4 | 4 | 6 : | 10 | 14 | 10 | 15 | 15 | 54 | 123 |
| South Station Road | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 227165 | โรเราสร์ เท่ะใช้ทาโลใ อารอบเท Station Road and Trumpy Street + Not an existing cycle facility | Within 250m of a School | Principal Transport | 4 | 4 | 6 : | 10 | 14 | 10 | 15 | 15 | 54 | 124 |
| Alice Street | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224681 | EoutheGratimeConnier of Alice Street an Jo Street + Alice Street is a Sub- Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 4 | 4 | 6 : | 10 | 14 | 10 | 15 | 15 | 54 | 125 |
| Alice Street | Wide Lane - Lane Treatments | Goodna | 2 | Replace unsafe road drainage grate | 229802 | Cotatied at the corner of Alice Street an Jo Street + Alice Street is a Sub- | Within 250m of Activity Centre | Principal Transport | 4 | 4 | 6 : | 10 | | 10 | | 15 | 54 | 126 |
| Alice Street | Wide Lane - Lane Treatments | Goodna | 2 | Replace unsafe road drainage grate | 229805 | an Gilson Street + Alice Street is a Sub Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 4 | 4 | | | | 10 | | 15 | 54 | 127 |
| Chermside Road | Wide Lane - Lane Treatments | Goodna | 2 | Replace unsafe road drainage grate | 229807 | Chermside Road and Fifer Street + Not an existing cycle facility | Within 250m of a School | Principal Transport | 4 | | | | | | | 15 | 54 | 128 |
| Roma Street | Wide Lane - More than 5m | Eastern Heights | 7 | | 217533 | Ebcareci do Brenhiers Echo Artor kidma | Within 250m of a School Within 250m of Major Public | Located on a Principal | 4 | | | | | 10 | | 15 | 54 | 128 |
| | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222939 | Street and Jacaranda Street + Not an existing cycle facility | Transport Station | Cycle Route | | | | | | - | - | | | |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226071 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | | | 8 | | 25 | | 12 | 54 | 130 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226072 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | | - | 8 | | 25 | | 12 | 54 | 131 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226073 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 132 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226074 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 133 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226076 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 134 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226077 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 135 |
| Collingwood Drive | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226161 | Collingwood Drive is a Sub-Arterial BAZ on Collingwood Drive | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 136 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 877275 | Darling Street East is a Sub-Arterial Not an existing cycle facility | Within Activity Centre | Secondary Transport | 2 | 4 | 10 | 8 | 7 | 10 | 25 | 12 | 54 | 137 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 877276 | Darling Street East is a Sub-Arterial Not an existing cycle facility | Within Activity Centre | Secondary Transport | 2 | 4 | 10 | 8 | 7 | 10 | 25 | 12 | 54 | 138 |
| Pathway | Wide Lane - Lane Treatments | Collingwood Park | 3 | Replace unsafe road drainage grate | 226070 | Collingwood Drive is a Sub-Arterial Collingwood Drive BAZ | Within 500m of a School | Secondary Transport | 2 | 10 | 4 | 8 | 7 | 25 | 10 | 12 | 54 | 139 |
| Norman Street | Wide Lane - Lane Treatments | Rasin Pocket | - | Replace unsafe road drainage grate | 217008 | Norman Street and Blackall Street + Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 4 | 4 | 6 : | 10 | 14 | 10 | 15 | 15 | 54 | 140 |
| Albion Street | End of Road | Basin Pocket Brassall | - | Replace unsafe road drainage grate | 217008 | <u>Not an existing cycle facility</u> | Within 250m of Activity Centre | Principal Transport | 4 | 4 | 6 : | 10 | 14 | 10 | 15 | 15 | 54 | 141 |
| Limestone Street | | | - | Replace unsafe road drainage grate | | Rocal@af:the^frlæisecuon or Limesotne Street and Ellenborough Not an existing cycle facility | Within an Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 10 | 3 | 14 | 10 | 25 | 4.5 | 54 | 142 |
| Ellenborough Street | Narrow Lane | Ipswich | | Replace unsafe road drainage grate | 217602 | Ellenborough Street and West Street Not an existing cycle facility | Within Activity Centre | Within 500m of a Cycle | 4 | 4 | 10 | 3 | 14 | 10 | 25 | 4.5 | 54 | 143 |
| Cascade Street | Incorrect K&C | Ipswich | 7 | Replace unsafe road drainage grate | 217794 | เดียดของเพาะโกโซกระไวเอกิปกายเลาะ Ann Street and Cascade Street + Not an existing cycle facility | Within 100m of a School | Route Local Transport | 4 | | | 6 | | 10 | 20 | 9 | 53 | 144 |
| Gledson Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 224982 | Cocared at the intersection of the proof Document of the intersection of the proof | Within 100m of Activity Centre | Secondary Transport | 3 | 4 | 8 | | | 10 | 20 | 12 | 53 | 145 |
| Brisbane Road | Wide Lane - Lane Treatments | North Booval | 4 | Replace unsafe road drainage grate | 222860 | Closens Street in a Major Collector Brisbane Road is a Sub-Arterial Road Not an existing cycle facility | Within 100m of Major Public | Principal Transport | 2 | - | - | - | | | | 15 | 52 | 146 |
| Brisbane Road | Narrow Lane | Redbank | 2 | | 227178 | Brisbane Road is a Sub-Arterial Road Not an existing cycle facility Brisbane Road is a Sub-Arterial Road Not an existing cycle facility | Transport Station Within 100m of Major Public | Principal Transport | 2 | | | 10 | | 10 | | 15 | 52 | 147 |
| | Narrow Lane | Redbank | 2 | Replace unsafe road drainage grate | 227179 | | Transport Station | ., | | | | | | | | | | |
| Hunter Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232536 | Hunter Street is a Sub-Arterial Road Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | | | 10 | | 10 | | 15 | 52 | 148 |
| Hunter Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232537 | Hunter Street is a Sub-Arterial Road Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | | - | | | 10 | | 15 | 52 | 149 |
| Ellenborough Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 218009 | Ellenborough Street is a Sub-Arterial Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | | 10 | | 10 | | 15 | 52 | 150 |
| Burnett Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218425 | Burnett Street is a Sub-Arterial Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 : | 10 | 7 | 10 | 20 | 15 | 52 | 151 |
| South Station Road | Narrow Lane | Raceview | 7 | Replace unsafe road drainage grate | 225298 | South Station Road is a Sub-Arterial Road Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 | 10 | 20 | 15 | 52 | 152 |
| | | | | | | | | | | | | | | | | | | |

| | T | ı | 1 | 1 | | I | T | 1 | | | | | | | 1 | | | |
|------------------------|--|------------------|----|------------------------------------|--------|--|--------------------------------------|--|---|---|----|----|----|---------|----|-----|----|-----|
| South Station Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225299 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 153 |
| South Station Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225373 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 154 |
| South Station Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225374 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 155 |
| Jacaranda Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216169 | Jacaranda Street is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 156 |
| Jacaranda Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216170 | Jacaranda Street is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 157 |
| Jacaranda Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216218 | Jacaranda Street is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 158 |
| Jacaranda Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216219 | Jacaranda Street is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 159 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224677 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 160 |
| Chermside Road | Wide Lane - Lane Treatments | Fastern Heights | 7 | Replace unsafe road drainage grate | 237760 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 161 |
| Law Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223263 | Law Street is a Major Collector | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 162 |
| Law Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223264 | Law Street is a Major Collector | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 163 |
| South Station Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225300 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 164 |
| Chermside Road | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217488 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 165 |
| Chermside Road | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 216987 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 100m of a School | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 166 |
| Mary Street | Incorrect K&C | Blackstone | 4 | Replace unsafe road drainage grate | 224920 | Mary Street is an Arterial Road | Not an existign cycle facility | Within 100m of Activity Centre | Principal Transport | 2 | 4 | 8 | 10 | 7 10 | 20 | 15 | 52 | 167 |
| Collins Street | Narrow Lane | Brassall | 6 | Replace unsafe road drainage grate | 232545 | Located at the corner of Workshops Street and Collins Street | Located adjacent to a cycle facility | Within Activity Centre | Within 500m of a Cycle Route | 2 | 6 | 10 | 3 | 7 15 | 25 | 4.5 | 52 | 168 |
| Haigslea Amberley Road | Incorrect K&C | Walloon | 10 | Replace unsafe road drainage grate | 219877 | Haigsley Amberley Road is a Rural Arterial Road | Not an existing cycle facility | Within Activity Centre | Local Transport | 2 | 4 | 10 | 6 | 7 10 | 25 | 9 | 51 | 169 |
| Pound Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 221015 | Street and Hooper Street + Pound | Not an existing cycle facility | Within 250m of a School | Principal Transport | 3 | 4 | 6 | 10 | 10.5 10 | 15 | 15 | 51 | 170 |
| Creek Street | Wide Lane - More than 5m | Bundamba | | Replace unsafe road drainage grate | 223159 | Street and Mining Street + Creek | Not an existing cycle facilty | Within 250m of a School | Principal Transport | 3 | 4 | 6 | 10 | 10.5 10 | 15 | 15 | 51 | 171 |
| Garden Street | Wide Lane - More than 5m | Ipswich | , | Replace unsafe road drainage grate | 217447 | Garden Street is a Major Collector | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 172 |
| Garden Street | Wide Lane - More than 5m | Ipswich | , | Replace unsafe road drainage grate | 217448 | Garden Street is a Major Collector | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 173 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 217800 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 174 |
| Darling Street East | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217819 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 175 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 217994 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 176 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 217995 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 177 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | , | Replace unsafe road drainage grate | 217996 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 178 |
| Darling Street East | Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 217997 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 179 |
| Darling Street East | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 217999 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 180 |
| Darling Street East | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | Woodend | 7 | Replace unsafe road drainage grate | 218000 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 181 |
| Darling Street East | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | Woodend | , | Replace unsafe road drainage grate | 218001 | Darling Street East is a Sub-Arterial | Not an existing cycle facility | Within Activity Centre | Secondary Transport | 1 | 4 | 10 | 8 | 3.5 10 | 25 | 12 | 51 | 182 |
| Hannant Street | Wide Lane - More than 5m | Collingwood Park | , | Replace unsafe road drainage grate | 227641 | Hannant Street and Lawrie Drive + | Not an existing cycle facility | Within 250m of a School | Principal Transport | 3 | 4 | 6 | 10 | 10.5 10 | 15 | 15 | 51 | 183 |
| Hannant Street | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 227642 | Hannant Street and Lawrie Drive + | Not an existing cycle facility | Within 250m of a School | Principal Transport | 3 | 4 | 6 | 10 | 10.5 10 | 15 | 15 | 51 | 184 |
| Hannant Street | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 227645 | Hannant Street and Lawrie Drive + | Not an existing cycle facility | Within 250m of a School | Principal Transport | 3 | 4 | 6 | 10 | 10.5 10 | 15 | 15 | 51 | 185 |
| Brisbane Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217965 | Located at the intersection of the Brisbane St and Waghorn St + | Not an existing cycle facility | Within an Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 10 | 3 | 10.5 10 | 25 | 4.5 | 50 | 186 |
| Whitehill Road | Wide Lane - Indie tran 5m Wide Lane - Lane Treatments | Raceview | | Replace unsafe road drainage grate | 221770 | Pockteer की time to meer bi Whitehiii स्व and Pendgragon Street + Whitehill | BAZ on Whitehill Road | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 10 | 4 | 3 | 10.5 25 | 10 | 4.5 | 50 | 187 |
| Albion Street | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | | - | Replace unsafe road drainage grate | 232415 | Street and Albion Street + Workshop | s located at the end of a bikeway | Within 100m of Activity Centre | Within 500m of a Cycle Route | 3 | 6 | 8 | 3 | 10.5 15 | 20 | 4.5 | 50 | 188 |
| Bergins Hill Road | | Brassall | | Replace unsafe road drainage grate | 232415 | Ebcateir at Mainter Section or Bergins Hill Road and Elms Street + Bergins | Not an existing cycle facility | Within 100m of Bundamba State Secondary College | Located on a Local Transport Cycle Route | 3 | 4 | 8 | 6 | 10.5 10 | 20 | 9 | 50 | 189 |
| Cascade Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | | Liblated lic in \$10 times Section From Cascade Street and Raceview Street - | + Not an existing cycle facility | Within 100m of a School | Local Transport | 3 | 4 | 8 | 6 | 10.5 10 | 20 | 9 | 50 | 190 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 221613 | Cocated Street in e Medino fi of actor Cascade Street and Raceview Street | + Not an existing cycle facility | Within 100m of a School | Local Transport | 3 | 4 | 8 | 6 | 10.5 10 | 20 | 9 | 50 | 191 |
| | Wide Lane - More than 5m | Raceview | 9 | 1 | 221762 | Cassado Stroot is a Major Collector | <u> </u> | ļ | · | | | | | | 1 | | | |

| Jacaranda Street | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222945 | Jacaranda St and Welsby St. Not an existing cycle facility Jacaranda St ic. a. Sub. Actorial road. | Located within 500m of Booval Train Station | Located on a Principal Cycle Route | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 192 |
|---------------------|-----------------------------|--------------------------|---|------------------------------------|--------|--|---|--|---|---|-----|-----|--------|----|-----|----|----------|
| Bremer Street | Wide Lane - 2 Lane Traffic | Ipswich | 7 | Replace unsafe road drainage grate | 217595 | Located at the intersection of Bremer St and East St Located at the intersection of Ord Not an existing cycle facility Located at the intersection of Ord | Located iwthin 100m of Ipswich Central Station | Bremer street is a Seondary Cycle Route | 2 | 4 | 8 | В | 7 10 | 20 | 12 | 49 | 193 |
| Old Toowoomba Road | Narrow Lane | One Mile | 8 | Replace unsafe road drainage grate | 219258 | Toowoomba Road and Denman Not an existing cycle facility Street With Toowneyshandard Sacretary Sacretary | Within 500m of Leichardt State School | Located on a Principal Cycle Route | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 194 |
| Old Toowoomba Road | Narrow Lane | One Mile | 8 | Replace unsafe road drainage grate | 219274 | Toowoomba Road and Denman Not an existing cycle facility | Within 500m of Leichardt State School | Located on a Principal Cycle Route | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 195 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227222 | Ebcate प्रीतं तिमामात्मा इंटिंग्सिक प्रिक्त कर्मा कि कि Whissen Court and Namatijira Drive + Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 196 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227223 | Ebcarea iac तीर्थ भारतिक इंटरोधिन चिन्दांची Whissen Court and Namatijira Drive + Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 197 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 227255 | Ebcactea in the microscotton or control of the cont | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 198 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | | Replace unsafe road drainage grate | 227470 | <u>Drysdale Avenue and Namatijira</u> Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 199 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227471 | <u>Drysdale Avenue and Namatijira</u> Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 200 |
| Alice Street | | | - | Replace unsafe road drainage grate | | Editareu 'निकास' रॉका शिका शिका के जिल्हा के Mot an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | 0 | 14 10 | 10 | 15 | 49 | 201 |
| Darling Street East | Wide Lane - Lane Treatments | Goodna | _ | Replace unsafe road drainage grate | 229811 | Darling Street East is a Sub-Arterial Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 | 3 | 7 10 | 20 | 12 | 49 | 202 |
| Darling Street East | Wide Lane - More than 5m | Woodend | 7 | Replace unsafe road drainage grate | 217814 | Darling Street East is a Sub-Arterial Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 : | 3 | 7 10 | 20 | 12 | 49 | 203 |
| Darling Street East | Wide Lane - More than 5m | Woodend | 7 | Replace unsafe road drainage grate | 217815 | Darling Street East is a Sub-Arterial Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 | 3 | 7 10 | 20 | 12 | 49 | 204 |
| Herbert Street | Wide Lane - More than 5m | Woodend | 7 | Replace unsafe road drainage grate | 218002 | Located at the intersection of Herbert Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 | 3 | 7 10 | 20 | 12 | 49 | 205 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218641 | Located at the intersection of Herbert Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 | | 7 10 | | | 49 | 206 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218661 | Located at the intersection of Herbert Not an existing cycle facility | Within 100m of a School | Secondary Transport | 2 | 4 | 8 | _ | 7 10 | | | 49 | 207 |
| Thorn Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218662 | Street and Syntax Street Located at the intersection of more Street and Park Street +Thorn Street Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | 4 1 | | 14 10 | | | 49 | 208 |
| Jackes Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220913 | iceateirar all-confer or sansoury Road and Jackes Street + Salisbury Not an existing cycle facility | Within 500m of a School | Principal Transport | 4 | 4 | | | 14 10 | | | 49 | 209 |
| Drysdale Avenue | Wide Lane - More than 5m | Eastern Heights | 8 | Replace unsafe road drainage grate | 221132 | Avenue and Namatjira Drive + Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 4 | 4 | | _ | 14 10 | | | 49 | 210 |
| Avon Street | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227252 | Toongara Road and Everdinah Street Not an existing cycle facility Toongara Road and Everdinah Street Not an existing cycle facility | Within 500m of a School | Principal Transport | 4 | 4 | | | 14 10 | | | 49 | 210 |
| | Wide Lane - Lane Treatments | Leichhardt | 6 | ., | 219543 | A-Euroanic Frails and deuts and francischar | | ., | 4 | 4 | | _ | 14 10 | | | 49 | 211 |
| Morgan Street | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227854 | Road + Located at the intersection of Not an existing cycle facility tocated Strate and Section of Plains to the section of Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | | | | | | | | | |
| Chermside Road | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217266 | Chermside Road and Roobertson Not an existing cycle facility Road + Charmside Road is a Sub- | Within 500m of a School | Principal Transport | 4 | 4 | | _ | 14 10 | | | 49 | 213 |
| Creek Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223163 | Creek Street is a Major Collector Not an existing cycle facility Located near the end of 2.5m path on Moffatt | Within 100m of a School | Principal Transport | 1 | 4 | | | 3.5 10 | | | 49 | 214 |
| Pound Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 237866 | Pound Street is a Major Collector Street | Within 250m of a School | Principal Transport | 1 | 6 | | | 1.5 15 | | | 49 | 215 |
| Creek Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223166 | Creek Street is a Major Collector Not an existing cycle facility | Within 100m of a School | Principal Transport | 1 | 4 | 8 1 | 0 3 | 1.5 10 | 20 | 15 | 49 | 216 |
| Creek Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223168 | Creek Street is a Major Collector Not an existing cycle facility | Within 100m of a School | Principal Transport | 1 | 4 | 8 1 | 0 3 | 1.5 10 | 20 | 15 | 49 | 217 |
| Creek Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223169 | Creek Street is a Major Collector Not an existing cycle facility | Within 100m of a School | Principal Transport | 1 | 4 | 8 1 | 0 3 | 1.5 10 | 20 | 15 | 49 | 218 |
| Old Logan Road | Wide Lane - Lane Treatments | Gailes | 2 | Replace unsafe road drainage grate | 229365 | Old Logan Road is a Major Collector Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 1 | 4 | 8 1 | 0 3 | 3.5 10 | 20 | 15 | 49 | 219 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232553 | Workshops Street is a Major Collector Localed at the intersection of | Within 100m of Activity Centre | Principal Transport | 1 | 4 | 8 1 | 0 3 | 3.5 10 | 20 | 15 | 49 | 220 |
| Limestone Street | Incorrect K&C | Ipswich | 7 | Replace unsafe road drainage grate | 217853 | Waghorn Street and Limestone Street Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 8 | 3 | 14 10 | 20 | 4.5 | 49 | 221 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221605 | Cascade street is a Major Collector Not an existing cycle facility | Within Activity Centre | Local Transport | 1 | 4 | 10 | 5 3 | 3.5 10 | 25 | 9 | 48 | 222 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221764 | Cascade street is a Major Collector Not an existing cycle facility | Within Activity Centre | Local Transport | 1 | 4 | 10 | 5 3 | 3.5 10 | 25 | 9 | 48 | 223 |
| Bognuda Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223551 | Bognuda Street and Law Street + Not an existing cycle facility | Within 250m of a School | Secondary Transport | 3 | 4 | 6 | 3 1 | 0.5 10 | 15 | 12 | 48 | 224 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221761 | Cascade street is a Major Collector Not an existing cycle facility | Within Activity Centre | Local Transport | 1 | 4 | 10 | 5 3 | 3.5 10 | 25 | 9 | 48 | 225 |
| Alexandra Street | Wide Lane - Lane Treatments | North Booval | 4 | Replace unsafe road drainage grate | 222855 | Gledson Street and Alexandra Street Not an existing cycle facility | Within 250m of Activity Centre | Secondary Transport | 3 | 4 | 6 | 3 1 | 0.5 10 | 15 | 12 | 48 | 226 |
| Alexandra Street | Wide Lane - Lane Treatments | North Booval | | Replace unsafe road drainage grate | 222856 | Collection Street and Alexandra Street Not an existing cycle facility | Within 250m of Activity Centre | Secondary Transport | 3 | 4 | 6 | 3 1 | 0.5 10 | 15 | 12 | 48 | 227 |
| Cascade Street | Incorrect K&C | Raceview | 7 | Replace unsafe road drainage grate | 222856 | Cascade street is a Major Collector Not an existing cycle facility | Within Activity Centre | Local Transport | 1 | 4 | 10 | 5 3 | 3.5 10 | 25 | 9 | 48 | 228 |
| Jacaranda Street | Incorrect K&C | Raceview North Rooval | | Replace unsafe road drainage grate | | Jacaranda Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of Major Public Transport Station | Located on a Principal Cycle Route | 2 | 4 | 6 1 | 0 | 7 10 | 15 | 15 | 47 | 229 |
| South Station Road | | | | Replace unsafe road drainage grate | 222937 | South Station road is a Sub-Arterial Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 | 0 | 7 10 | | | 47 | 230 |
| | Wide Lane - Lane Treatments | Silkstone | 4 | | 224686 | 1 | 1 | 1 | | | | | ! | | | | <u> </u> |

| | 1 | , | | 1 | | | | | | | | | | | | | | |
|--------------------|-------------------------------|------------------|-----|------------------------------------|--------|---|---|--|--|---|---|------|-----|------|----|-----|----|-----|
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 4 | Replace unsafe road drainage grate | 224700 | South Station road is a Sub-Arterial | Not an existing cycle facility | Within 500m of a School | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 231 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224727 | South Station road is a Sub-Arterial | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 232 |
| Chermside Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 217528 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 233 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227220 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 234 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227221 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 235 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227254 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 236 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227795 | Kruger Parade is a Sub-Arterial | Not an existign cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 237 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227796 | Kruger Parade is a Sub-Arterial | Not an existign cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 238 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227797 | Kruger Parade is a Sub-Arterial | Not an existign cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 239 |
| Kruger Parade | Wide Lane - More than 5m | Bellbird Park | 2 | Replace unsafe road drainage grate | 227798 | Kruger Parade is a Sub-Arterial | Not an existign cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 7 | 10 | 15 | 15 | 47 | 240 |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | | Replace unsafe road drainage grate | 219230 | Toongarra Road is an Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 241 |
| Toongarra Road | | | | Replace unsafe road drainage grate | 219231 | Toongarra Road is an Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 242 |
| Ash Street | Wide Lane - Lane Treatments | Leichhardt | | Replace unsafe road drainage grate | | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 243 |
| Ash Street | Wide Lane - Lane Treatments | Yamanto | | Replace unsafe road drainage grate | 222008 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 244 |
| Ash Street | Wide Lane - Lane Treatments | Yamanto | 8 | Replace unsafe road drainage grate | 222009 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 245 |
| Ash Street | Wide Lane - Lane Treatments | | 8 | Replace unsafe road drainage grate | | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 246 |
| Chermside Road | Wide Lane - Lane Treatments | Yamanto | 8 | Replace unsafe road drainage grate | 222011 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 247 |
| South Station Road | Wide Lane - Lane Treatments | Newtown | 7 | Replace unsafe road drainage grate | 215973 | South Station Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 248 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224679 | Road South Station Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | 10 | 15 | 15 | 47 | 249 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 4 | Replace unsafe road drainage grate | 224680 | Road South Station Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 0 7 | 10 | 15 | 15 | 47 | 250 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 4 | Replace unsafe road drainage grate | 224728 | Road South Station Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 2 | 4 | 6 1 | 0 7 | | | | 47 | 251 |
| Old Logan Road | Wide Lane - Lane Treatments | Silkstone | 4 | Replace unsafe road drainage grate | 224729 | Road Old Logan Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | 4 | 6 1 |) 7 | | | | 47 | 252 |
| Old Logan Road | Wide Lane - Lane Treatments | Camira | 1 | Replace unsafe road drainage grate | 229765 | Old Logan Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | - | 6 1 | | - | | - | 47 | 253 |
| Alice Street | Wide Lane - Lane Treatments | Camira | 1 | Replace unsafe road drainage grate | 229766 | Alice Street is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | | 6 1 | - | | | | 47 | 254 |
| Alice Street | Wide Lane - Lane Treatments | Goodna | 2 | Replace unsafe road drainage grate | 229800 | Alice Street is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | | 6 1 | | | | | 47 | 255 |
| | Wide Lane - Lane Treatments | Goodna | 2 | | 229801 | | + | | ., | | | | | | | | | |
| Alice Street | Wide Lane - Lane Treatments | Goodna | 2 | Replace unsafe road drainage grate | 229806 | Alice Street is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | | 6 1 | | | | | 47 | 256 |
| Chermside Road | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217526 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | - | 6 1 | | 10 | | - | 47 | 257 |
| Chermside Road | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217527 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 250m of a School | Principal Transport | 2 | | 6 1 | - | | | | 47 | 258 |
| Toongarra Road | Incorrect K&C | Leichhardt | 8 | Replace unsafe road drainage grate | 219220 | Toongarra Road is an Arterial Road located at the intersection of | Not an existing cycle facility | Within 250m of a School | Principal Transport Within 500m of a Cycle | 2 | | 6 1 | | | | | 47 | 259 |
| Albion Street | Narrow Lane | Brassall | 6 | Replace unsafe road drainage grate | 232410 | Workshops Street and Albion Street | Not an existing cycle facility | Within an Activity Centre | Route | 2 | 4 | 10 3 | 7 | 10 | 25 | 4.5 | 47 | 260 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 226941 | Street and Brisbane Road | ck Project extends cycle facility located on Brisbane road | Within 100m of Activity Centre | Located within 500m of a Cycle Route | 2 | 6 | 8 3 | 7 | 15 | 20 | 4.5 | 47 | 261 |
| Bremer Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217593 | Bremma Street is a sub-arterial road | Not an existing cycle facility | Within 100m of an activity centre | Local Transport Route | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 262 |
| Bremer Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 217766 | Bremma Street is a sub-arterial road | Not an existing cycle facility | Within 100m of an activity centre | Local Transport Route | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 263 |
| Cascade Street | Narrow Lane | Raceview | 9 | Replace unsafe road drainage grate | 225218 | Cascade Street is a Sub-Arterial Road | Not an existing cycle facility | Within 100m of a School | Local Transport | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 264 |
| Collingwood Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226154 | Collingwood Drive and Goss Drive + | Not an existing cycle facility | Within 500m of a School | Secondary Transport | 4 | 4 | 4 8 | 14 | 10 | 10 | 12 | 46 | 265 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 224973 | Cascade Street is a Sub-Arterial Roa | Not an existing cycle facility | Within 100m of a School | Local Transport | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 266 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 224983 | Cascade Street is a Sub-Arterial Roa | | Within 100m of a School | Local Transport | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 267 |
| Church Street | Incorrect K&C | Tivoli | 5 | Replace unsafe road drainage grate | 233156 | Located at the intersection of Churc Street and Mount Crosby Road. | Not an existing cycle facility | Within 100m of a School | Local Transport | 2 | 4 | 8 6 | 7 | 10 | 20 | 9 | 46 | 268 |
| Roderick Street | Wide Lane - Lane Treatments | Inquich | , | Replace unsafe road drainage grate | 217485 | and Roderick Street + Thorn Street | | Within 500m of Ipswich Central State School | Located on a Principal Cycle Route | 3 | 4 | 4 1 | 10 | 5 10 | 10 | 15 | 46 | 269 |
| | wide raile - raile freatments | ipswich | - / | 1 | 21/485 | a Sub-Artorial | - | | Cycle House | | | | | | | | | |

| | | | | | | Located at the intersection of | Within 500m of Ipswich Central | Chermside Road is a | Т 1 | | - 1 | _ | | | | | |
|-------------------|-----------------------------|-------------------|---|------------------------------------|--------|--|---|--|-----|----|------|-----|--------|----|-------|----|-----|
| Chermside Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 217545 | Chermside Road and Kangaroo Street Not and existing cycle facility | State School | Principal Cycle Route | 3 | 4 | 4 10 | 10 | 0.5 10 | 10 | 0 15 | 46 | 270 |
| Chermside Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 217550 | Chermside Road and Kangaroo Street Not and existing cycle facility | Within 500m of Ipswich Central State School | Chermside Road is a Principal Cycle Route | 3 | 4 | 4 10 | 10 | .5 10 | 10 | 0 15 | 46 | 271 |
| Chermside Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 217752 | Chermside Road and Fifer Street + Chermside Road in St. Actorial Not and existing cycle facility | Within 500m of Ipswich Central State School | Chermside Road is a Principal Cycle Route | 3 | 4 | 4 10 | 10 | 0.5 10 | 10 | 0 15 | 46 | 272 |
| Griffith Road | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217455 | Griffith Road is a Major Collector Not an existing cycle facility | Within 100m of a School | Secondary Transport | 1 | 4 | 8 8 | 3 | .5 10 | 20 | 0 12 | 46 | 273 |
| Griffith Road | | | | Replace unsafe road drainage grate | | Griffith Road is a Major Collector Not an existing cycle facility | Within 100m of a School | Secondary Transport | 1 | 4 | 8 8 | 3 | .5 10 | 20 | 0 12 | 46 | 274 |
| Griffith Road | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217457 | Griffith Road is a Major Collector Not an existing cycle facility | Within 100m of a School | Secondary Transport | 1 | 4 | 8 8 | 3 | .5 10 | 20 | 0 12 | 46 | 275 |
| Griffith Road | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217458 | Griffith Road is a Major Collector Not an existing cycle facility | Within 100m of a School | Secondary Transport | 1 | | 8 8 | + | | | | 46 | 276 |
| Griffith Road | Wide Lane - More than 5m | Ipswich | 7 | | 217459 | , , , , | Within 100m of a School | Secondary Transport | 1 | | 8 8 | Ŧ | 5 10 | | | 46 | 277 |
| | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 217460 | Located at a pinch point due to the | | Within 500m of a Cycle | | | | | | | | | |
| Milford Street | Wide Lane - More than 5m | Redbank Plains | 9 | Replace unsafe road drainage grate | 226666 | mid block crossing refuge island | Within 500m of a School | Route Within 500m of a Cycle | 6 | | 4 3 | | 1 10 | | | 46 | 278 |
| Milford Street | Wide Lane - More than 5m | Redbank Plains | 9 | Replace unsafe road drainage grate | 226667 | mid block crossing refuge island Not an existing cycle facility Located at the intersection or more | Within 500m of a School | Route | 6 | 4 | 4 3 | 2 | 1 10 | 10 | 0 4.5 | 46 | 279 |
| Park Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220912 | Street and Park Street +Thorn Street Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 3 | 4 | 4 10 | 10 | .5 10 | 10 | 0 15 | 46 | 280 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223501 | Hill Road and Tibbits St + Bergins Hill Not an existing cycle facility | Within 100m of Bundamba Sate Secondary College | Within 500m of a Cycle Route | 3 | 4 | 8 3 | 10 | .5 10 | 20 | 0 4.5 | 45 | 281 |
| Edwards Street | Wide Lane - Lane Treatments | Flinders View | q | Replace unsafe road drainage grate | 237346 | Cocal dear and Discovery Street + BAZ on Edwards Street | Within 1km of Activity Centre | Within 500m of a Cycle Route | 3 | 10 | 2 3 | 10 | 1.5 25 | 5 | 4.5 | 45 | 282 |
| Hunter Street | End of Road | Brassall | _ | Replace unsafe road drainage grate | 232387 | No notable safety improvement parameter comments Not an existing cycle facility | Within 100m of a School | Principal Transport | 0 | 4 | 8 10 |) (| 10 | 20 | 0 15 | 45 | 283 |
| Clem Street | | | | Replace unsafe road drainage grate | | No notable safety improvement parameter comments Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 0 | 4 | 8 10 |) (|) 10 | 20 | 0 15 | 45 | 284 |
| South Street | Narrow Lane | Brassall | ь | Replace unsafe road drainage grate | 232306 | No notable safety improvement Not an existing cycle facility | Within 100m of Activity Centre | Principal Transport | 0 | 4 | 8 10 |) (|) 10 | 20 | 0 15 | 45 | 285 |
| Clem Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217218 | parameter comments Located at the end of a cul-de-sac Located at the end of a shared path | Within 250m of a School | Principal Transport | 0 | 6 | 6 10 |) (| | | | 45 | 286 |
| Samford Road | End of road | Brassall | 6 | Replace unsafe road drainage grate | 232318 | Samford Road and Marginson street Not an existing cycle facility | Within 250m of a School | Local Transport | 3 | | 6 6 | | 0.5 10 | | | 45 | 287 |
| | Narrow Lane | Leichhardt | 8 | | 219140 | Lucaneural Rendiers et nior on Hostor | | | _ | · | - | - | | | | | _ |
| Samford Road | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219208 | Samford Road and Larsen street + Not an existing cycle facility cocateer a Panel in a Media on all comments. | Within 250m of a School | Local Transport | 3 | | 6 6 | - | | _ | | 45 | 288 |
| Stafford Street | Wide Lane - More than 5m | Silkstone | 4 | Replace unsafe road drainage grate | 224490 | Street and Stafford Street + Stafford Not an existing cycle facility Eticateir a Sule Anteriel Bonthi Connect | Within 1km of a School | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 289 |
| Stafford Street | Wide Lane - More than 5m | Silkstone | 4 | Replace unsafe road drainage grate | 224494 | Street and Stafford Street + Stafford Not an existing cycle facility | Within 1km of a School | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 290 |
| Stafford Street | Wide Lane - More than 5m | Silkstone | 4 | Replace unsafe road drainage grate | 224581 | Road and Stafford Street + Stafford Not an existing cycle facility | Within 1km of a School | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 291 |
| Old Logan Road | Wide Lane - More than 5m | Camira | 1 | Replace unsafe road drainage grate | 231210 | Logan Road and Steven Street + Old Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 292 |
| Briggs Road | Wide Lane - More than 5m | Raceview | 8 | Replace unsafe road drainage grate | 234762 | LocaceBartlirenfiebsetcoritor origgs Road and Edwards Street + Edwards Not an existing cycle facility | Within 1km of a School | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 293 |
| Salisbury Road | Wide Lane - Lane Treatments | Ipswich | ۰ | Replace unsafe road drainage grate | 220998 | Eteant-ir a Curle Afrer's रेटिक्यने ज Salisbury road and Thorn Street + Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 294 |
| Edwards Street | | | | Replace unsafe road drainage grate | | Edwards Street and Wilton Court + Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 295 |
| Bird Street | Wide Lane - More than 5m | Flinders View | 8 | Replace unsafe road drainage grate | 221618 | Edwards Chront is a Sub-Actorial Located at the corner of Bognuda Not an existing cycle facility | Within 250m of Activity Centre | Secondary Transport | 2 | 4 | 6 8 | Η. | 7 10 | 15 | 5 12 | 44 | 296 |
| Herbert Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 215305 | Located at intersection of Herbert Not an existing cycle facility | Within 250m of Major Public | Secondary Transport | 2 | | 6 8 | ١. | | | - | 44 | 297 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | | 218631 | Street and Tailon Street Located at intersection of Herbert | Transport Station Within 250m of Major Public | Secondary Transport | 2 | | 6 8 | | | | | 44 | 298 |
| | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 218632 | Street and Tallon Street At the intersection of Thom Street | Transport Station | , , | | | | - | - | | | | _ |
| Salisbury Road | Wide Lane - Lane Treatments | Ipswich | 8 | Replace unsafe road drainage grate | 220992 | and Salisbury Road + Salisbury Road Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | | 2 10 | - | - | | | 44 | 299 |
| Short Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220958 | Street and Thorn Street + Thorn Not an existing cycle facility Ebcateur activities received to smort | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 | | | | 15 | 44 | 300 |
| Short Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220960 | Street and Thorn Street + Thorn Not an existing cycle facility Eticateir a Mainnersector or | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 301 |
| Hatherton Court | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227270 | Hatherton Court and Namatjira Drive Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 302 |
| Hatherton Court | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227272 | Lotareotist nermerseEigh Ortosial Hatherton Court and Namatjira Drive Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 303 |
| Avon Street | Wide Lane - Lane Treatments | Leichhardt | - | Replace unsafe road drainage grate | 219572 | Lol'ared'är tतिर्गातांहर ईटरिजी के प्राची Toongarra Road and Everdinah Street Not an existing cycle facility | Within 1km of a School | Principal Transport | 4 | 4 | 2 10 |) 1 | 4 10 | 5 | 15 | 44 | 304 |
| Creek Street | | | | Replace unsafe road drainage grate | | Creek Street is a Major Collector Not an existing cycle facility | Within 250m of a School | Principal Transport | 1 | 4 | 6 10 |) 3 | .5 10 | 15 | 5 15 | 44 | 305 |
| Pound Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223160 | Pound Street is a Major Collector Not an existing cycle facility | Within 250m of a School | Principal Transport | 1 | 4 | 6 10 | | .5 10 | | | 44 | 306 |
| Pound Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 237862 | , , , | Within 250m of a School | Principal Transport | 1 | | 6 10 | - | 5 10 | | | 44 | 307 |
| | Wide Lane - More than 5m | West Ipswich | 7 | | 237867 | Pound Street is a Major Collector Not an existing cycle facility | | | | | | + | | | | | |
| Pound Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 237868 | Pound Street is a Major Collector Not an existing cycle facility | Within 250m of a School | Principal Transport | 1 | 4 | 6 10 |) 3 | .5 10 | 15 | 5 15 | 44 | 308 |

| | | , | | 1 | | | 1 | | | | | | _ | | | | | |
|---------------------|-------------------------------|------------------|-----|------------------------------------|--------|--|-----------------------------------|--|---|---|---|-----|-------|----|----|-----|----|-----|
| Pound Street | Wide Lane - More than 5m | West Ipswich | 7 | Replace unsafe road drainage grate | 237869 | Pound Street is a Major Collector | Not an existing cycle facility | Within 250m of a School | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 309 |
| Birrell Street | Wide Lane - More than 5m | Leichhardt | 8 | Replace unsafe road drainage grate | 219229 | Toongarra Road and Birrell Street + <u>Tocateural Road intersection of South</u> | Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 4 | 4 | 6 3 | 14 | 10 | 15 | 4.5 | 44 | 310 |
| Petaine Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225335 | station Road and Petaine Street + | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 6 3 | 14 | 10 | 15 | 4.5 | 44 | 311 |
| Petaine Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 225336 | station Road and Petaine Street + | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 6 3 | 14 | 10 | 15 | 4.5 | 44 | 312 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232417 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 313 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232418 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 314 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232429 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 315 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232447 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 316 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232556 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 317 |
| Workshops Street | Wide Lane - Lane Treatments | Brassall | 6 | Replace unsafe road drainage grate | 232557 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 250m of Activity Centre | Principal Transport | 1 | 4 | 6 1 | 0 3.5 | 10 | 15 | 15 | 44 | 318 |
| Gledson Street | Wide Lane - Lane Treatments | North Booval | 4 | Replace unsafe road drainage grate | 222861 | Street and Gledson Street + Gledson | Not an existign cycle facility | Within 500m of Activity Centre | Secondary Transport | 3 | 4 | 4 8 | 10.5 | 10 | 10 | 12 | 43 | 319 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221766 | Cascade street is a Major Collector | Not an existing cycle facility | Within 100m of Activity Centre | Local Transport | 1 | 4 | 8 6 | 3.5 | 10 | 20 | 9 | 43 | 320 |
| Cascade Street | Incorrect K&C | Raceview | 7 | Replace unsafe road drainage grate | 224972 | Cascade Street is a Major Collector | Not an existing cycle facility | Within 100m of a School | Local Transport | 1 | 4 | 8 6 | 3.5 | 10 | 20 | 9 | 43 | 321 |
| Keidges Road | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 230305 | Keidges Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of an Activity Centre | Located on a Principal Cycle Route | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 322 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227855 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 323 |
| Welsby Street | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222943 | Located at the intersection of Welsby Street and Jacaranda Street | Not an existing cycle facility | Within 500m of Major Public Transport Station | Located within 500m of a cycle route | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 324 |
| Welsby Street | Narrow Lane | North Booval | 5 | Replace unsafe road drainage grate | 222944 | Located at the intersection of Welsby Street and Jacaranda Street | Not an existing cycle facility | Within 500m of Major Public Transport Station | Located within 500m of a cycle route | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 325 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227218 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 326 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227219 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 327 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227256 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 328 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227461 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 329 |
| Namatjira Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227462 | Namatjira Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 330 |
| Ash Street | Wide Lane - Lane Treatments | Yamanto | 8 | Replace unsafe road drainage grate | 222013 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 331 |
| Ash Street | Wide Lane - Lane Treatments | Yamanto | 8 | Replace unsafe road drainage grate | 222014 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 332 |
| Ash Street | Wide Lane - Lane Treatments | Yamanto | 8 | Replace unsafe road drainage grate | 222015 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 333 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227856 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 334 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224670 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 335 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 4 | Replace unsafe road drainage grate | 224671 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 336 |
| South Station Road | Wide Lane - Lane Treatments | Silkstone | 7 | Replace unsafe road drainage grate | 224699 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of a School | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 337 |
| Old Logan Road | Wide Lane - Lane Treatments | Camira | 1 | Replace unsafe road drainage grate | 923879 | Old Logan Road is a Sub-Arterial | Not an existing cycle facility | Within 500m of a School | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 338 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220851 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 339 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220852 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 340 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220914 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 341 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220915 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 342 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220916 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 343 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220917 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 344 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220962 | Thorn Street is a Major collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 345 |
| South Station Road | Wide Lane - More than 5m | Raceview | q | Replace unsafe road drainage grate | 225349 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 346 |
| South Station Road | Wide Lane - More than 5m | Raceview | | Replace unsafe road drainage grate | 225349 | South Station Road is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 1 | 0 7 | 10 | 10 | 15 | 42 | 347 |
| 1 | wine raile - Midle (Uati Stil | Raceview | , , | 1 | 220300 | 1 | + | 1 | · | | | —— | | | | | | - |

| | | | | | | | 1 | 1 | , | | | | | | | 1 | |
|---------------------|-----------------------------|-------------------|----|------------------------------------|--------|---|---|--|---|---|---|----|------|----|--------|----|-----|
| South Station Road | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225462 | South Station Road is a Sub-Arterial Road Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 2 | 4 | 4 | 10 | 7 | 10 | 10 15 | 42 | 348 |
| South Station Road | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225500 | South Station Road is a Sub-Arterial Road Not an existing cycle facility | Within 500m of a School | Principal Transport | 2 | 4 | 4 | 10 | 7 | 10 | 10 15 | 42 | 349 |
| Cotton Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 216189 | Located at an intersection Not an existing cycle facility | Located within 100m of Ipswich East State School | Located within 500m of a cycle route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 350 |
| Creek Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223161 | Located at the intersection of Creek St and Mining St Not an existing cycle facility | Within 100m of Bundamba Train station | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 351 |
| Creek Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223162 | Located at the intersection of Creek St and Mining St Not an existing cycle facility | Within 100m of Bundamba Train station | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 352 |
| Bergins Hill Road | | | | Replace unsafe road drainage grate | | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 100m of Bundamba Sate Secondary College | | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 353 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223500 | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 100m of Bundamba Sate | Within 500m of a Cycle | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 354 |
| Herbert Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223522 | Located at the intersection of Thomas Not an existing cycle facility | Secondary College Within 100m of Major Public | Route Within 500m of a Cycle | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 355 |
| Cole Street | Narrow Lane | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 219086 | Located at the intersection of Not an existing cycle facility | Transport Station Within 100m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | | 356 |
| Blackwood Street | Narrow Lane | Booval | 4 | Replace unsafe road drainage grate | 224008 | Brisbane Road and Cole Street Located at the microscition of Blackwood Street and Jacaranda Not an existing cycle facility Not an existing cycle facility | Within 100m of a School | Route Within 500m of a Cycle | 2 | 4 | | 3 | 7 | 10 | 20 4.5 | | 357 |
| Herbert Street | Narrow Lane | East Ipswich | 5 | | 216182 | Ctroot Located at intersection of Herbert | Within 100m of Major Public | Route Within 500m of a Cycle | 2 | 4 | | 3 | 7 | 10 | 20 4.5 | | 358 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 219087 | Street and Thomas Street | Transport Station | Route | _ | 4 | 8 | 3 | ′ | 10 | 20 4.5 | 42 | 358 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 219088 | Located at intersection of Herbert Street and Thomas Street Not an existing cycle facility | Within 100m of Major Public Transport Station | Within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 359 |
| Larsen Street | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219209 | Located at intersection of Larsen Street and Samford Road Not an existing cycle facility | Within 100m of a School | Within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 360 |
| Mill Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229249 | Located at the intersection of Mill Street and Queen Street Not an existing cycle facility | Within 100m of a School | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 361 |
| Mill Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229250 | Located at the intersection of Mill Street and Queen Street Not an existing cycle facility | Within 100m of a School | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 362 |
| Mill Street | Narrow Lane | Goodna | , | Replace unsafe road drainage grate | 229494 | Located at the intersection of Mill Street and Clive Street Not an existing cycle facility | Within 100m of Activity Centre | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 363 |
| Albert Street | | | | Replace unsafe road drainage grate | | Street and William Street Not an existing cycle facility Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 364 |
| Albert Street | Wide Lane - More than 5m | Rosewood | 10 | Replace unsafe road drainage grate | 233302 | Located on the corner of Albert Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 365 |
| Redbank Plains Road | Wide Lane - More than 5m | Rosewood | 10 | Replace unsafe road drainage grate | 233303 | Redbank Plains road is an Arterial Not an existing cycle facility | Within 100m of a School | Route Located within 500m of | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 366 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228802 | Road Redbank Plains road is an Arterial Not an existing cycle facility | Within 100m of a School | a Cycle Route Located within 500m of | 2 | 4 | | 3 | 7 | 10 | 20 4.5 | | 367 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | | 228803 | Rodu Redhank Plains road is an Arterial | | a Cycle Route Located within 500m of | 2 | 4 | 8 | 2 | 7 | 10 | 20 4.5 | 42 | 368 |
| | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228805 | Not an existing cycle facility Coated at the intersection of | Within 100m of a School | a Cycle Route Within 500m of a Cycle | | | | 3 | - | | | | |
| Siemons Street | Wide Lane - More than 5m | One Mile | 8 | Replace unsafe road drainage grate | 219275 | Siemons Street and Old Toowoomba Not an existing cycle facility Bocaled actine intersection or | Within 100m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | | 3 | | 10 | 20 4.5 | | 369 |
| Siemons Street | Wide Lane - More than 5m | One Mile | 8 | Replace unsafe road drainage grate | 219277 | Siemons Street and Old Toowoomba Not an existing cycle facility | Within 100m of Activity Centre | Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 370 |
| Elms Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223799 | Located at the intersection of Elms Street and Bergins Hill Road Not an existing cycle facility | Within 100m of a School | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 371 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | , | Replace unsafe road drainage grate | 226947 | Located at the intersection of Kerwick Street and John Street Not on an existing cycle facility | Within 100m of Activity Centre | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 372 |
| John Street | Wide Lane - More than 5m | Redbank | | Replace unsafe road drainage grate | 226949 | Located at the intersection of Kerwick Street and John Street Not on an existing cycle facility | Within 100m of Activity Centre | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 373 |
| Jones Street | Incorrect K&C | Riackstone | | Replace unsafe road drainage grate | 226949 | Located at the intersection of Jones Street and Mary Street Not an existing cycle facility | Within 100m of Activity Centre | Located within 500m of a Cycle Route | 2 | 4 | 8 | 3 | 7 | 10 | 20 4.5 | 42 | 374 |
| Cascade Street | | | 4 | Replace unsafe road drainage grate | | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 375 |
| Joyce Street | Narrow Lane | Raceview | 9 | Replace unsafe road drainage grate | 225467 | Located at the intersection of Woolen Not an existing cycle facility | Within 250m of Major Public | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 376 |
| Cascade Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 216164 | Mill Way and Joyce Street. Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Transpotr Station Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 377 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | | 225389 | | | | 2 | 4 | | 6 | | | | | 378 |
| | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225390 | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | | , | - | - | | 10 | | 41 | |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225395 | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | - | 6 | | 10 | 15 9 | 41 | 379 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225449 | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | | 10 | 15 9 | 41 | 380 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225450 | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 381 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 9 | Replace unsafe road drainage grate | 225451 | Cascade Street is a Sub-Arterial Road Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 382 |
| Joyce Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 216162 | Located at the corner of Joyce Street and Cotton Street Not an existing cycle facility | Within 250m of a Major Public Transport Station | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 383 |
| Brizzle Court | Wide Lane - More than 5m | Goodna | 2 | Replace unsafe road drainage grate | 229040 | Located at the intersection of Stuart Street and Brizzie Court Not an existing cycle facility | Within 250m of a School | Local Transport | 2 | 4 | 6 | 6 | 7 | 10 | 15 9 | 41 | 384 |
| Riverview Road | Narrow Lane | Riverview | 4 | Replace unsafe road drainage grate | 214855 | at an intersection + Riverview Road is Not an existing cycle facility | Within 1km of Riverview Train Station | Riverview Road is a Principle Cycle Route | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 15 | 41 | 385 |
| Redbank Plains Road | Marray Lane | Relibird Park | , | Replace unsafe road drainage grate | 227479 | Arterial road slip turn Not an existing cycle facility | Within 1km of Kruger State School | Located within 500m of a Cycle Route | 6 | 4 | 2 | 3 | 21 | 10 | 5 4.5 | 41 | 386 |
| L | INGI I UW LOTIE | penpird Park | | 1 | 22/4/9 | + | | a cycle noute | | | | | | | | | - |

| | | | | | | TOWN AND AND MICHAEL THAN TO LAW. | | | | | | | | | | | |
|-------------------|-----------------------------|------------------|---|------------------------------------|--------|--|---|--|---|---|----------|-------------------|------|----|------|------|---------------|
| Riverview Road | Wide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214848 | St and Riverview Rd + Riverview Road Not an existing cycle facility | Within 1km of St Peter Claver College and Moggil Ferry | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 387 |
| Riverview Road | Wide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214852 | रिकटसर्थने प्रतासिक | Within 1km of St Peter Claver College | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 388 |
| Riverview Road | Wide Lane - More than 5m | Riverview | | Replace unsafe road drainage grate | 214858 | Riverview Rd + Riverview Road is Not an existing cycle facility | Within 1km of St Peter Claver College | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 389 |
| Chermside Road | | | _ | Replace unsafe road drainage grate | | cotaieo ac'ine nice section of Chermside Road and Robertson Road Not and existing cycle facility | Within 1km of Ipswich Central State School | Chermside Road is a Principal Cycle Route | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 390 |
| Aspinall Street | Wide Lane - More than 5m | Eastern Heights | | Replace unsafe road drainage grate | 217267 | Loclanemaichnemateirsectuch Orfesis! Street and Aspinall Street + Aspinall Not an existing cycle facility | Within 1km of a School | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 391 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218834 | Ebcateir ar Meinrensectron or bass Street and Aspinall Street + Aspinall Not an existing cycle facility | Within 1km of a School | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 392 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218837 | Ebranteir at Mehmier Bection or sture Street and Aspinall Street + Aspinall Not an existing cycle facility | Within 1km of Major Public | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | | 393 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | | 218884 | Street and Aspinall Street + Aspinall Not an existing cycle facility | Transport Station Within 1km of a School | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | | 394 |
| | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218888 | Ebrcateir at Mientifer Section or Bass | | | 3 | 4 | - | 10 | 10.5 | | | | 395 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218889 | Street and Aspinall Street + Aspinall Not an existing cycle facility Eticateir at \textsquare 1000 feet worksnops | Within 1km of a School | Principal Transport | | | | | | 10 | | | |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232460 | Street and Booth Street + Workshops Not an existing cycle facility Eticarteir a Main Cersection or | Within 1km of Activity Centre | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 396 |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232455 | Workshops Street and Jellicoe Street Not an existing cycle facility | Within 1km of a School | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 397 |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232462 | Workshops Street and Booth Street + Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 398 |
| Tanya Gay Avenue | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 244168 | Workshops Street and Tanya Gay Not an existing cycle facility Cocareo at the intersection or 2 | Within 1km of Activity Centre | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 399 |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 244170 | Workshops Street and Charles Street Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 400 |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232452 | LOL'देशचर पेन पार्ट निराहने उंदरा और जेर Workshops Street and Tanya Gay Not an existing cycle facility | Within 1km of a School | Principal Transport | 3 | 4 | 2 | 10 | 10.5 | 10 | 5 1 | 5 41 | 401 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | | Replace unsafe road drainage grate | 223507 | Hill Road and Herbert St + Bergins Not an existing cycle facility | Within 250m of Bundamba State School | Within 500m of a Cycle Route | 3 | 4 | 6 | 3 | 10.5 | 10 | 15 4 | 5 40 | 402 |
| Samford Road | | | 4 | Replace unsafe road drainage grate | | Lüll-Rearlar methics Section on Street Samford Road and Marginson street Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 3 | 4 | 6 | 3 | 10.5 | 10 | 15 4 | 5 40 | 403 |
| Lawrie Drive | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219139 | Lucaneural तीवनतीतंवनक्षेटेवांजा on Lawine Drive and Whitlam Drive + Lawrie Not an existing cycle facility | Within 250m of a School | Located within 500m of | 3 | 4 | 6 | 3 | 10.5 | 10 | 15 4 | 5 40 | 404 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236223 | Drive and Whitlam Drive + Lawrie Not an existing cycle facility | Within 250m of a School | a Cycle Route Located within 500m of | 3 | 4 | 6 | 3 | 10.5 | 10 | 15 4 | 5 40 | 405 |
| Chermside Road | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236225 | No notable safety improvement Not an existing cycle facility | Within 250m of a School | a Cycle Route Principal Transport | 0 | 4 | | 10 | 0 | 10 | | 5 40 | 406 |
| | End of Road | East Ipswich | 5 | | 217018 | No notable safety improvement | | | - | | | | | | | | |
| Clem Street | Narrow Lane | Brassall | 6 | Replace unsafe road drainage grate | 232305 | Not an existing cycle facility No notable safety improvement | Within 250m of Activity Centre | Principal Transport | 0 | 4 | 6 | 10 | 0 | 10 | 15 1 | | 407 |
| Clem Street | Narrow Lane | Brassall | 6 | Replace unsafe road drainage grate | 232358 | Not an existing cycle facility No notable safety improvement | Within 250m of Activity Centre | Principal Transport Located within 500m of | 0 | 4 | 6 | 10 | 0 | 10 | 15 1 | | 408 |
| Fitzgibbon Street | Incorrect K&C | North Ipswich | 5 | Replace unsafe road drainage grate | 216699 | parameter comments Not an existing cycle facility | Within 250m of a School | a cycle route | 0 | 4 | 6 | 10 | 0 | 10 | 15 1 | 5 40 | 409 |
| Fitzgibbon Street | Incorrect K&C | North Ipswich | 5 | Replace unsafe road drainage grate | 216700 | No notable safety improvement parameter comments Not an existing cycle facility | Within 250m of a School | Located within 500m of a cycle route | 0 | 4 | 6 | 10 | 0 | 10 | 15 1 | 5 40 | 410 |
| Fitzgibbon Street | Incorrect K&C | North Ipswich | 5 | Replace unsafe road drainage grate | 216828 | No notable safety improvement parameter comments Not an existing cycle facility | Within 250m of a School | Located within 500m of a cycle route | 0 | 4 | 6 | 10 | 0 | 10 | 15 1 | 5 40 | 411 |
| Cascade Street | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221260 | Cascade Street and Whitehill Road + Withhill Road is a regional leader. Withhill Road is a regional leader. | Within 500m of Activity Centre | Local Transport | 3 | 4 | 4 | 6 | 10.5 | 10 | 10 | 40 | 412 |
| Waghorn Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217849 | No notable safety improvement parameter comments Not an existing cycle facility | Within Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | 5 40 | 413 |
| Waghorn Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 217850 | No notable safety improvement parameter comments Not an existing cycle facility | Within Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | 5 40 | 414 |
| Mill Street | | | | Replace unsafe road drainage grate | | No notable safety improvement parameter comments | Within Activity Centre | Located within 500m of a Cycle Route | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | 5 40 | 415 |
| Mill Street | Wide Lane - More than 5m | Goodna | 2 | Replace unsafe road drainage grate | 229874 | No notable safety improvement Not an existing cycle facility | Within Activity Centre | Located within 500m of | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | 5 40 | 416 |
| Mill Street | Wide Lane - More than 5m | Goodna | 2 | Replace unsafe road drainage grate | 229875 | No notable safety improvement Not an existing cycle facility | Within Activity Centre | a Cycle Route Located within 500m of | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | 5 40 | 417 |
| Waghorn Street | Wide Lane - More than 5m | Goodna | 2 | | 236067 | No notable safety improvement | Within Activity Centre | a Cycle Route Within 500m of a Cycle | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | | 418 |
| - | Incorrect K&C | Ipswich | 7 | Replace unsafe road drainage grate | 217969 | Not an existing cycle facility Parameter comments No notable safety improvement | , | Route Within 500m of a Cycle | - | | | _ | | | | | |
| Waghorn Street | Right Side of Lane | Ipswich | 7 | Replace unsafe road drainage grate | 218018 | parameter comments Not an existing cycle facility | Within Activity Centre | Route | 0 | 4 | 10 | 3 | 0 | 10 | 25 4 | | 419 |
| Collingwood Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226157 | Collingwood Drive is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 | 8 | 7 | 10 | 10 1 | 2 39 | 420 |
| Collingwood Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226158 | Collingwood Drive is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 | 8 | 7 | 10 | 10 1 | 2 39 | 421 |
| Collingwood Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 226165 | Collingwood Drive is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 | 8 | 7 | 10 | 10 1 | 2 39 | 422 |
| Collingwood Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 226166 | Collingwood Drive is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 | 8 | 7 | 10 | 10 1 | 2 39 | 423 |
| Collingwood Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 226167 | Collingwood Drive is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 | 8 | 7 | 10 | 10 1 | 2 39 | 424 |
| Clifton Street | Narrow Lane | Booval | 4 | Replace unsafe road drainage grate | 223964 | No notable safety improvement parameter comments Not an existing cycle facility | Within 100m of Activity Centre | Local Transport | 0 | 4 | 8 | 6 | 0 | 10 | 20 | 39 | 425 |
| | Trustow sulfc | DOUVAL | 4 | + | 443904 | p | 1 | 1 | | | | \longrightarrow | | | | | \rightarrow |

| lifton Street | | | | | | | | | | | | | | | | | | |
|---------------------|-----------------------------|------------------|----------|------------------------------------|--------|--|--|---|---|---|----|-----|-----|-------|---------|-----|----|-----|
| Na | Narrow Lane | Booval | 4 | Replace unsafe road drainage grate | 223971 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 426 |
| amford Road Na | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219199 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 427 |
| amford Road Na | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219201 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 428 |
| amford Road Na | larrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219204 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 429 |
| amford Road Na | larrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219205 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 430 |
| amford Road Na | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219206 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 431 |
| amford Road | Narrow Lane | Leichhardt | 8 | Replace unsafe road drainage grate | 219207 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 432 |
| ollingwood Drive | Nide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226162 | Collingwood Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 8 | 3 | 7 10 | 10 | 12 | 39 | 433 |
| ollingwood Drive | Nide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226164 | Collingwood Drive is a Sub-Arterial | Not on an existing cycle facility | Within 500m of Activity Centre | Secondary Transport | 2 | 4 | 4 8 | 3 | 7 10 | 10 | 12 | 39 | 434 |
| lining Street | Narrow Lane | Bundamba | 4 | Replace unsafe road drainage grate | 223155 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Major Public Transport Station | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 435 |
| tuart Street | Wide Lane - More than 5m | Goodna | , | Replace unsafe road drainage grate | 229174 | No notable safety improvement parameter comments | Located near the end of a bicycle lane | Within 250m of a School | Local Transport | 0 | 6 | 6 (| 5 | 0 15 | 15 | 9 | 39 | 436 |
| hurch Street | ncorrect K&C | Tivoli | | Replace unsafe road drainage grate | 233151 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 437 |
| hurch Street | ncorrect K&C | Tivoli | 5 | Replace unsafe road drainage grate | 233151 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 438 |
| hurch Street | ncorrect K&C | Tivoli | 5 | Replace unsafe road drainage grate | 233154 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of a School | Local Transport | 0 | 4 | 8 (| 5 | 0 10 | 20 | 9 | 39 | 439 |
| ascade Street | Nide Lane - More than 5m | Raceview | <u>s</u> | Replace unsafe road drainage grate | 233155 | Cascade Street and Whitehill Road + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 4 | 4 | 4 | 3 1 | .4 10 | 10 | 4.5 | 39 | 440 |
| ayvilla Court | Wide Lane - Lane Treatments | Bellbird Park | | Replace unsafe road drainage grate | 230071 | Read + Located at the intersection of | Not an existing cycle facility | Within 500m of a School | Within 500m of a Cycle Route | 4 | 4 | 4 3 | 3 1 | .4 10 | 10 | 4.5 | 39 | 441 |
| /orkshops Street | Wide Lane - Lane Treatments | Brassall | - | Replace unsafe road drainage grate | 232444 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 1 | 4 | 4 1 | 0 3 | .5 10 | 10 | 15 | 39 | 442 |
| /orkshops Street | Wide Lane - Lane Treatments | Brassall | | Replace unsafe road drainage grate | 232445 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Principal Transport | 1 | 4 | 4 1 | 0 3 | .5 10 | 10 | 15 | 39 | 443 |
| arold Summervilles | | | | Replace unsafe road drainage grate | 220123 | Harold Summervilles Road is a Major Collector | Not an existign cycle facility | Within 100m of a School | Located within 500m of a Cycle Route | 1 | 4 | 8 : | 3 3 | .5 10 | 20 | 4.5 | 38 | 444 |
| arold Summervilles | Narrow Lane | Karalee | - | Replace unsafe road drainage grate | | Harold Summervilles Road is a Major Collector | Not an existign cycle facility | Within 100m of a School | Located within 500m of a Cycle Route | 1 | 4 | 8 : | 3 3 | .5 10 | 20 | 4.5 | 38 | 445 |
| awrie Drive | Narrow Lane | Karalee | | Replace unsafe road drainage grate | 220124 | Lawrie Drive is a Major Collector | Located at the end of a shared path | Within 250m of a School | Located within 500m of a Cycle Route | 1 | 6 | 6 3 | 3 3 | .5 15 | 15 | 4.5 | 38 | 446 |
| awrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227646 | Lawrie Drive is a Major Collector | Located at the end of a shared path | Within 250m of a School | Located within 500m of | 1 | 6 | 6 3 | 3 3 | .5 15 | 15 | 4.5 | 38 | 447 |
| awrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236229 | Lawrie Drive is a Major Collector | Located at the end of a shared path | Within 250m of a School | a Cycle Route Located within 500m of | 1 | 6 | 6 3 | 3 3 | .5 15 | 15 | 4.5 | 38 | 448 |
| dwards Street | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236230 | Edwards Street is a Major Collector | Edwards Street BAZ | Within 1km of Activity Centre | a Cycle Route Within 500m of a Cycle | 1 | 10 | 2 : | 3 3 | .5 25 | 5 | 4.5 | 38 | 449 |
| dwards Street | Wide Lane - Lane Treatments | Flinders View | 9 | Replace unsafe road drainage grate | 237347 | Edwards Street is a Major Collector | Edwards Street BAZ | Within 1km of Activity Centre | Route Within 500m of a Cycle | 1 | 10 | 2 : | 3 3 | .5 25 | 5 | 4.5 | 38 | 450 |
| dwards Street | Wide Lane - Lane Treatments | Flinders View | 9 | Replace unsafe road drainage grate | 237348 | Edwards Street is a Major Collector | Edwards Street BAZ | Within 1km of a School | Route Within 500m of a Cycle | 1 | 10 | 2 | 3 3 | .5 25 | 5 | 4.5 | 38 | 451 |
| iverview Road | Wide Lane - Lane Treatments | Flinders View | 9 | Replace unsafe road drainage grate | 237349 | Located at the intersection of | Not an existing cycle facility | Within 1km of St Peter Claver | Route Principal Transport | 2 | 4 | 2 1 | _ | 7 10 | 5 | 15 | 37 | 452 |
| iverview Road | Vide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214839 | Maryanne St and Riverview Rd Located at the intersection of | Not an existing cycle facility | College and Moggil Ferry Within 1km of St Peter Claver | Principal Transport | 2 | 4 | | _ | 7 10 | 5 | 15 | 37 | 453 |
| iverview Road | Vide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214840 | Maryanne St and Riverview Rd Located at the intersection of Kevin | Not an existing cycle facility | College and Moggil Ferry Within 1km of St Peter Claver | Principal Transport | 2 | 4 | | - | 7 10 | 5 | 15 | 37 | 454 |
| Wi iverview Road | Wide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214847 | St and Riverview Rd Located at the intersection of Kevin | Not an existing cycle facility | College and Moggil Ferry Within 1km of St Peter Claver | Principal Transport | 2 | 4 | | _ | 7 10 | 5 | 15 | 37 | 455 |
| sh Street | Wide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214849 | St and Riverview Rd Ash Street is a Sub-Arterial Road | Not an existing cycle facility | College and Moggil Ferry Within 1km of Amberley | Ash Street is a Principal | 2 | 4 | | | 7 10 | 5 | 15 | 37 | 456 |
| | larrow Lane | Yamanto | 8 | | 222334 | Ash Street is a Sub-Arterial Road | Not an existing cycle facility Not an existing cycle facility | District State College Within 1km of Amberley | Cycle Route Ash Street is a Principal | 2 | 4 | | _ | 7 10 | 5 | 15 | 37 | 457 |
| | Narrow Lane | Yamanto | 8 | Replace unsafe road drainage grate | 222335 | | | District State College Within 1km of a School | Cycle Route Principal Transport | 2 | 4 | | | 7 10 | 5 | 15 | 37 | 457 |
| Wi | Nide Lane - More than 5m | Silkstone | 4 | Replace unsafe road drainage grate | 224489 | Stafford Street is a Sub-Arterial Road | , | | ., | | | | | | - | | | |
| | Wide Lane - More than 5m | Silkstone | 4 | Replace unsafe road drainage grate | 224605 | Stafford Street is a Sub-Arterial Road | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | | - | 7 10 | 5 | 15 | 37 | 459 |
| | larrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 229961 | Brennan Street is a Sub-Arterial Road | 3,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Within 1km of a School | Principal Transport | 2 | 4 | | - | 7 10 | 5 | 15 | 37 | 460 |
| | Narrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 229962 | Brennan Street is a Sub-Arterial Road | | Within 1km of a School | Principal Transport | 2 | 4 | | _ | 7 10 | 5 | 15 | 37 | 461 |
| | Wide Lane - More than 5m | Flinders View | 8 | Replace unsafe road drainage grate | 221700 | Ripley Road is a Sub-Arterial Road | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | | 0 | 7 10 | 5 | 15 | 37 | 462 |
| ipley Road | Wide Lane - More than 5m | Flinders View | 9 | Replace unsafe road drainage grate | 221701 | Ripley Road is a Sub-Arterial Road Located at intersection of Grace | Not an existing cycle facility | Within 1km of Activity Centre Within 100m of Major Public | Principal Transport | 2 | 4 | 2 1 | 0 | 7 10 | 5 20 | 15 | 37 | 463 |
| W | | | | | | | | | | | | | | | | | | |

| | | I | | | harden a se | T | | Т | | | | | | | | | |
|---------------------|--|--------------------|------------------------------------|--------|--|--------------------------------|---|---|---|---|----------|----|-------|----|-------------|----|-----|
| Ivory Street | Narrow Lane | Booval | Replace unsafe road drainage grate | 224039 | Located at the intersection of Ivory Street and South Station Road | Not an existing cycle facility | Within 100m of Activity Centre | 0 | 2 | 4 | 8 | 0 | 7 10 | 20 | 0 | 37 | 465 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224439 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 466 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224441 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 467 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224442 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 468 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224445 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 469 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224448 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 470 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224491 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 471 |
| Stafford Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224493 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 472 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224608 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 473 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224609 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 474 |
| Creek Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224610 | Creek Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 475 |
| Edwards Street | Wide Lane - More than 5m | | Replace unsafe road drainage grate | 221615 | Edwards Street is a Sub-Arterial | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 476 |
| Thorn Street | | Flinders View | Replace unsafe road drainage grate | 220954 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 477 |
| Thorn Street | Wide Lane - More than 5m Wide Lane - More than 5m | Ipswich Ipswich | Replace unsafe road drainage grate | 220954 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 478 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | Replace unsafe road drainage grate | 220956 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 479 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | Replace unsafe road drainage grate | 220957 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 480 |
| Thorn Street | Wide Lane - More than 5m | Ipswich | Replace unsafe road drainage grate | 220961 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 481 |
| Thorn Street | Wide Lane - More than 5m | Inswich | Replace unsafe road drainage grate | 220963 | Thorn Street is a Major collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 482 |
| Chilcot Street | Wide Lane - More than 5m | Silkstone | Replace unsafe road drainage grate | 224483 | Located at the intersection of Stafford Street and Chillcot Street | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 483 |
| Salisbury Road | Right Side of Lane | Ipswich | Replace unsafe road drainage grate | 220987 | Salisbury Road is a Sub-Arterial | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 484 |
| Chermside Road | Right Side of Lane | Ipswich | Replace unsafe road drainage grate | 220944 | Chermside Road is a Sub-Arterial | Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 2 | 10 | 7 10 | 5 | 15 | 37 | 485 |
| Cascade Street | Narrow Lane | Raceview | Replace unsafe road drainage grate | 225223 | Located at the intersection of Thornton St andCascade St | Not an existing cycle facility | Bethany Lutheran Primary | Located within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 486 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | Replace unsafe road drainage grate | 223505 | Bergins Hill Road is a Major Collector | Not an existing cycle facility | Within 250m of Bundamba State School | Within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 487 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | Replace unsafe road drainage grate | 223524 | Bergins Hill Road is a Major Collector | Not an existing cycle facility | Within 250m of Bundamba Sate Secondary College | | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 488 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | Replace unsafe road drainage grate | 228815 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 489 |
| Redbank Plains Road | Wide Lane - Lane Treatments Wide Lane - Lane Treatments | Bellbird Park | Replace unsafe road drainage grate | 228816 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 490 |
| Nathan Street | Narrow Lane | East Ipswich | Replace unsafe road drainage grate | 215522 | Located at the corner of Jacaranda Street and Nathan Street | Not an existing cycle facility | Within 250m of a School | Located within 500m of a cycle route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 491 |
| Nathan Street | Narrow Lane | East Ipswich | Replace unsafe road drainage grate | 215523 | Located at the corner of Jacaranda Street and Nathan Street | Not an existing cycle facility | Within 250m of a School | Located within 500m of a cycle route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 492 |
| Merton Street | | | Replace unsafe road drainage grate | 215577 | Located at the intersection of Wooler Mill Way and Joyce Street. | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 493 |
| Joyce Street | Narrow Lane | East Ipswich | Replace unsafe road drainage grate | | Located at the intersection of Wooler Mill Way and Joyce Street. | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 494 |
| Blackall Street | Narrow Lane | East Ipswich | Replace unsafe road drainage grate | 215579 | Located at the intersection of Blakall Street and Norman Street | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 495 |
| Clay Street | Wide Lane - More than 5m | Basin Pocket | Replace unsafe road drainage grate | 217007 | Located at the intersection of Clay Street and Omar Street | Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 496 |
| Clay Street | Wide Lane - More than 5m | West Ipswich | Replace unsafe road drainage grate | 219043 | Located at the intersection of Clay Street and Omar Street | Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 497 |
| Ernest Street | Wide Lane - More than 5m | West Ipswich | Replace unsafe road drainage grate | 219070 | Located at the intersection of Ernest Street and Old Toowoomba Road | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 498 |
| Birrell Street | Narrow Lane | One Mile | Replace unsafe road drainage grate | 219162 | Located at intersection of Birrell Street and Toongarra Road | Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 499 |
| Petaine Street | Narrow Lane | Leichhardt | Replace unsafe road drainage grate | 219228 | Located at the intersection of Petaine Street and Stouth Station Road | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 500 |
| Clive Street | Narrow Lane | Raceview | Replace unsafe road drainage grate | 225334 | Located at the intersection of Mill | Not an existing cycle facility | Within 250m of Activity Centre | Located within 500m of | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 501 |
| Clive Street | Narrow Lane | Goodna | Replace unsafe road drainage grate | 229495 | Street and Clive Street Located at the intersection of Mill | Not an existing cycle facility | Within 250m of Activity Centre | a Cycle Route Located within 500m of | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 502 |
| Mill Street | Narrow Lane | Goodna | Replace unsafe road drainage grate | 229496 | Street and Clive Street Located at the intersection of Mill | Not an existing cycle facility | Within 250m of Activity Centre | a Cycle Route Located within 500m of | 2 | 4 | 6 | 3 | 7 10 | 15 | 4.5 | 37 | 503 |
| | Narrow Lane | Goodna | 2 | 229500 | Street and Parker Street | | 222 2. Activity centre | a Cycle Route | | • | لـــَــا | ات | . 120 | 1 | └ ~~ | | |

| | T | 1 | 1 | Т | | I | | I | | | | | | | - | | | |
|-----------------------------|---|------------------|---|------------------------------------|--------|---|--------------------------------|---|---|---|---|------|------|----|-----|-----|----|-----|
| Mill Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229503 | Located at the intersection of Mill Street and Parker Street | Not an existing cycle facility | Within 250m of Activity Centre | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 504 |
| McKell Street | Narrow Lane | Brassall | 6 | Replace unsafe road drainage grate | 232304 | Located at the intersection of Mckell Street and Clem Street | Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 505 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228775 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 506 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228777 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 507 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228778 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 508 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228781 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 509 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 228782 | Redbank Plains road is an Arterial Road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 2 | 4 | 6 3 | 7 | 10 | 15 | 4.5 | 37 | 510 |
| Cascade Street | Narrow Lane | Raceview | 7 | Replace unsafe road drainage grate | 225425 | Cascade Street is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of a School | Local Transport | 2 | 4 | 4 6 | 7 | 10 | 10 | 9 | 36 | 511 |
| Cascade Street | Narrow Lane | Raceview | 9 | Replace unsafe road drainage grate | 225426 | Cascade Street is a Sub-Arterial Road | Not an existing cycle facility | Within 500m of a School | Local Transport | 2 | 4 | 4 6 | 7 | 10 | 10 | 9 | 36 | 512 |
| Thorn Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 221008 | Street and Salisbury Road + Thorn | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 3 | 4 | 0 10 | 10.5 | 10 | 0 | 15 | 36 | 513 |
| Bognuda Street | Incorrect K&C | Bundamba | 4 | Replace unsafe road drainage grate | 215306 | Bognuda Street is a Major Collector. | Not an existing cycle facility | Within 500m of a School | Secondary Transport | 1 | 4 | 4 8 | 3.5 | 10 | 10 | 12 | 36 | 514 |
| Harold Summervilles Road | Narrow Lane | Karalee | 5 | Replace unsafe road drainage grate | 220053 | Summervilles Rd and Harold | Not an existing cycle facility | Within 500m of Karalee State School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 515 |
| Harold Summervilles Road | Narrow Lane | Karalee | 5 | Replace unsafe road drainage grate | 220055 | Eucateo ail one Prince Section or Artmur Summervilles Rd and Harold | Not an existing cycle facility | Within 500m of Karalee State School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 516 |
| Lawrie Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 227517 | Eucateorail one Intersection or Lawrie Driv e and Milgate Street + Lawrie | Not an existing cycle facility | Within 500m of Collingwood Park State School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 517 |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 221122 | | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 518 |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 221180 | Whitehill road and Lloyd George | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 519 |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 8 | Replace unsafe road drainage grate | 221187 | Whitehill road and Lloyd George | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 520 |
| Whitehill Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221250 | Cascade Street and Whitehill Road + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 521 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227510 | Drive and Mcinnerney Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 522 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227511 | Drive and Mcinnerney Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 523 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227513 | Drive and Milgate Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 524 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227514 | Drive and Milgate Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 525 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227518 | Drive and Milgate Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 526 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227519 | Drive and Milgate Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 527 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227602 | Drive and Mcbay Street + Lawrie | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 528 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221255 | Road and Olive Street + Whitehill | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 529 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221257 | Road and Olive Street + Whitehill | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 530 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221324 | Road and Greenham Street + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 531 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221353 | | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 532 |
| Olive Street | Wide Lane - Lane Treatments | Raceview | 8 | Replace unsafe road drainage grate | 221258 | Whitehill Road and Teak Street + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 533 |
| Mangonia Street | Wide Lane - Lane Treatments | Raceview | 8 | Replace unsafe road drainage grate | 221262 | Whitehill Road and Mangonia Street | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 534 |
| McGill Street | Wide Lane - Lane Treatments | Raceview | 8 | Replace unsafe road drainage grate | 221280 | Whitehill Road and Mcgill Street + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 535 |
| McGill Street | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221319 | Whitehill Road and Mcgill Street + | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 536 |
| Greenham Street | Wide Lane - Lane Treatments | Raceview | 7 | Replace unsafe road drainage grate | 221330 | Whitehill Road and Greenham Street | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 3 | 4 | 4 3 | 10.5 | 10 | 10 | 4.5 | 35 | 537 |
| Ripley Road | Wide Lane - More than 5m | Flinders View | 8 | Replace unsafe road drainage grate | 221699 | Ripley Road is a Sub-Arterial Road | Not an existing cycle facility | Within 2km of Raceview State School | Principal Transport | 2 | 4 | 1 10 | 7 | 10 | 2.5 | 15 | 35 | 538 |
| Brennan Street | Narrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 230027 | Brennan Street is a Sub-Arterial Road | Not an existing cycle facility | Within 2km of a School | Principal Transport | 2 | 4 | 1 10 | 7 | 10 | 2.5 | 15 | 35 | 539 |
| Brennan Street | Narrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 230028 | Brennan Street is a Sub-Arterial Road | Not an existing cycle facility | Within 2km of a School | Principal Transport | 2 | 4 | 1 10 | 7 | 10 | 2.5 | 15 | 35 | 540 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224011 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 | 4.5 | 35 | 541 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224012 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 | 4.5 | 35 | 542 |
| 1 | AND | 200401 | | 1 | 227022 | 1 | | 1 | | | | | - | | | | | - |

| | | | | | | | T | T | T | | | | | _ | | | |
|--------------------|-----------------------------|--------------|----|------------------------------------|--------|--|--------------------------------|--|--|---|---|------|-----|----|------|------|-----|
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224072 | No notable safety improvement parameter comments | Not an existign cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 543 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224331 | No notable safety improvement parameter comments | Not an existign cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 544 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224332 | No notable safety improvement parameter comments | Not an existign cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 545 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224010 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 546 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224067 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 547 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224068 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 548 |
| Cole Street | Wide Lane - More than 5m | Booval | | Replace unsafe road drainage grate | 224069 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 549 |
| Cole Street | Wide Lane - More than 5m | Booval | | Replace unsafe road drainage grate | 224009 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 550 |
| Cole Street | | | | Replace unsafe road drainage grate | | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 551 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224328 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 552 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224329 | No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 553 |
| Cole Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224330 | No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | Route Within 500m of a Cycle | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 554 |
| Mill Street | Wide Lane - More than 5m | Booval | 4 | Replace unsafe road drainage grate | 224333 | No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | Route Located within 500m of | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 555 |
| Mill Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229482 | No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Located within 500m of | 0 | 4 | 8 3 | + | 10 | 20 4 | | 556 |
| Main Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229483 | No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Within 500m of a Cycle | 0 | | 8 3 | - | | 20 4 | | 557 |
| Merton Street | Narrow Lane | Marburg | 10 | Replace unsafe road drainage grate | 233599 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 100m of Major Public | Route Located within 500m of | 0 | | 8 3 | | 10 | 20 4 | | 558 |
| Kerwick Street | Wide Lane - Lane Treatments | East Ipswich | 5 | | 215580 | parameter comments No notable safety improvement | | Transport Station | a cycle route Located within 500m of | 0 | - | 8 3 | 0 | 10 | 20 4 | | 559 |
| | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 226939 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Located within 500m of | | | | | | | | |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 226940 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Located within 500m of | 0 | | 8 3 | - | 10 | 20 4 | | 560 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 226944 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Located within 500m of | 0 | | 8 3 | | | 20 4 | | 561 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 226945 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 100m of Activity Centre | a Cycle Route Located within 500m of | 0 | | 8 3 | | | 20 4 | | 562 |
| Kerwick Street | Wide Lane - More than 5m | Redbank | 2 | Replace unsafe road drainage grate | 227182 | parameter comments | Not an existing cycle facility | Within 100m of Activity Centre Within 100m of Major Public | a Cycle Route Within 500m of a Cycle | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 563 |
| Mining Street | End of Road | Bundamba | 4 | Replace unsafe road drainage grate | 223073 | Located at the end of a cul-de-sac | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 564 |
| Cole Street | Incorrect K&C | Booval | 4 | Replace unsafe road drainage grate | 224071 | No notable safety improvement parameter comments | Not an existign cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 565 |
| Station Road | End of Road | Riverview | 4 | Replace unsafe road drainage grate | 231857 | Located at the end of a cul-de-sac | Not an existing cycle facility | Within 100m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 8 3 | 0 | 10 | 20 4 | 5 35 | 566 |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 219573 | Toongarra Road and Avon Street + | Not an existing cycle facility | Within 500m of a School | 0 | 4 | 4 | 4 0 | 14 | 10 | 10 | 34 | 567 |
| Joyce Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 215573 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of a Major Public Transport Station | Local Transport | 0 | 4 | 6 6 | 0 | 10 | 15 | 34 | 568 |
| Joyce Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216167 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Local Transport | 0 | 4 | 6 6 | 0 | 10 | 15 | 34 | 569 |
| Joyce Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216168 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Local Transport | 0 | 4 | 6 6 | 0 | 10 | 15 | 34 | 570 |
| Old Toowoomba Road | Wide Lane - 2 Lane Traffic | One Mile | 8 | Replace unsafe road drainage grate | 219267 | Old Toowoomber Road is a Major Collector | Not an existing cycle facility | Within 1km of Leichardt State School | Old Toowoomba Road is Principle Cycle Route | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 571 |
| Old Toowoomba Road | Wide Lane - 2 Lane Traffic | One Mile | 8 | Replace unsafe road drainage grate | 219268 | Old Toowoomber Road is a Major Collector | Not an existing cycle facility | Within 1km of Leichardt State School | Old Toowoomba Road is Principal Cycle Route | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 572 |
| Aspinall Street | Wide Lane - More than 5m | Leichhardt | 6 | Replace unsafe road drainage grate | 218879 | Aspinall Street is a Major Collector | Not an existign cycle facility | Within 1km of a School | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 573 |
| Riverview Road | Wide Lane - More than 5m | Riverview | 4 | Replace unsafe road drainage grate | 214856 | Riverview Road is a Major Collector | Not an existing cycle facility | Within 1km of a Major Public Transport Station | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 574 |
| Riverview Road | Wide Lane - More than 5m | Riverview | , | Replace unsafe road drainage grate | 214857 | Riverview Road is a Major Collector | Not an existing cycle facility | Within 1km of a Major Public Transport Station | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 575 |
| Workshops Street | | Brassall | - | Replace unsafe road drainage grate | 232453 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 576 |
| Workshops Street | Wide Lane - More than 5m | | - | Replace unsafe road drainage grate | | Workshops Street is a Major Collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 577 |
| Workshops Street | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232454 | Workshops Street is a Major Collector | Not an existing cycle facility | Within 1km of Activity Centre | Principal Transport | 1 | 4 | 2 10 | 3.5 | 10 | 5 1 | 5 34 | 578 |
| Riverview Road | Wide Lane - More than 5m | Brassall | 6 | Replace unsafe road drainage grate | 232459 | Riverview Road is a Major Collector | Not an existing cycle facility | Within 1km of a School | Principal Transport | 1 | | 2 10 | | - | 5 1 | | 579 |
| Cotton Street | Incorrect K&C | Riverview | 4 | Replace unsafe road drainage grate | 214851 | Located at the intersection of Joyce | Not an existing cycle facility | Within 250 of East Ipswich Train | Located with 500m of a | 1 | 4 | 6 3 | 3.5 | | | 5 33 | 580 |
| Bergins Hill Road | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 216163 | Street and Cotton Street Bergins Hill Road is a Major Collector | | Station Within 250m of a School | Cycle Route Within 500m of a Cycle | 1 | | 6 3 | | | 15 4 | | 581 |
| | Wide Lane - More than 5m | Bundamba | 4 | | 223183 | on o rum noda is a iviajor collector | cassing eyere rountry | | Route | | - | - 3 | 3.3 | 10 | " | - 55 | 301 |

| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223184 | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 582 |
|-----------------------------|-----------------------------|-------------------|----|------------------------------------|--------|--|---|---|---|---|-----|----|-----|----|--------|----|-----|
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223186 | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 583 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223187 | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 584 |
| Bergins Hill Road | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223533 | Bergins Hill Road is a Major Collector Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 585 |
| Blackall Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 216898 | Blackall Street is a Major Collector Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 586 |
| Eleazar Drive | Wide Lane - More than 5m | Blacksoil | 10 | Replace unsafe road drainage grate | 232160 | Eleazar Drive is a Major Collector Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 587 |
| Eleazar Drive | Wide Lane - More than 5m | Blacksoil | 10 | Replace unsafe road drainage grate | 232161 | Eleazar Drive is a Major Collector Not an existing cycle facility | Within 250m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 588 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 2 | Replace unsafe road drainage grate | 236226 | Lawrie Drive is a Major Collector Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 589 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236227 | Lawrie Drive is a Major Collector Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 590 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236228 | Lawrie Drive is a Major Collector Not an existing cycle facility | Within 250m of a School | Located within 500m of a Cycle Route | 1 | 4 | 6 | 3 | 3.5 | 10 | 15 4.5 | 33 | 591 |
| Bayley Road | | Pine Mountain | 3 | Replace unsafe road drainage grate | 230228 | Bayley Road is a Major Collector Not an existing cycle facility | Within 500m of Activity Centre | Local Transport | 1 | 4 | 4 | 6 | 3.5 | 10 | 10 9 | 33 | 592 |
| Bayley Road | Narrow Lane | | 10 | Replace unsafe road drainage grate | | Bayley Road is a Major Collector Not an existing cycle facility | Within 500m of Activity Centre | Local Transport | 1 | 4 | 4 | 6 | 3.5 | 10 | 10 9 | 33 | 593 |
| Chermside Road | Narrow Lane | Pine Mountain | 10 | Replace unsafe road drainage grate | 232147 | Chermside Road is a Sub-Arterial Not an existing cycle facility | Within 1km of a School | Principal Transport | 2 | 4 | 0 : | 10 | 7 | 10 | 0 15 | 32 | 594 |
| Toongarra Road | Wide Lane - More than 5m | Eastern Heights | 8 | Replace unsafe road drainage grate | 220943 | Toongarra Road is an Arterial Not an existing cycle facility | Within 250m of a School | 0 | 2 | 4 | 6 | 0 | 7 | 10 | 15 0 | 32 | 595 |
| Aspinall Street | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 219232 | Located at the intersection of Aspinall St and Sturt St | Within 500m of Wulkuraka | Within 500m of a Cycle Route | 2 | 4 | 4 | 3 | 7 | 10 | 10 4.5 | 32 | 596 |
| Moffatt Street | Narrow Lane | Leichhardt | 6 | Replace unsafe road drainage grate | 218893 | St and Sturt St Moffatt Street is a Sub-Arterial Not an existing cycle facility | Train Station Within 500m of Activity Centre | Within 500m of a Cycle | 2 | 4 | 4 | 3 | 7 | 10 | 10 4.5 | 32 | 597 |
| Moffatt Street | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220782 | Moffatt Street is a Sub-Arterial Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | 7 | 10 | 10 4.5 | 32 | 598 |
| Moffatt Street | Narrow Lane | Ipswich | 7 | Replace unsafe road drainage grate | 220783 | Located at the intersection of Moffatt | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | 7 | 10 | 10 4.5 | 32 | 599 |
| Cedar Road | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220801 | Street and Warwick Road Located at the itnersection of Glen Located near a bikeway across Glen Brae Street | Within 1km of Activity Centre | Route Within 500m of a Cycle | 2 | 6 | 2 | 3 | 7 | 15 | 5 4.5 | 32 | 600 |
| Cedar Road | Wide Lane - More than 5m | Redbank Plains | 3 | Replace unsafe road drainage grate | 228635 | Located at the itnersection of Glen Located at the itnersection of Glen Located near a bikeway across Glen Brae Street | · | Route Within 500m of a Cycle | 2 | 6 | 2 | 3 | 7 | 15 | 5 4.5 | 32 | 601 |
| Blackall Street | Wide Lane - More than 5m | Redbank Plains | 3 | Replace unsafe road drainage grate | 228636 | brae Street and Cedar Road. Located at the intersection of Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | 7 | 10 | 10 4.5 | 32 | 602 |
| Harding Street | Wide Lane - More than 5m | Basin Pocket | 5 | Replace unsafe road drainage grate | 216074 | Blackakk Street and Davidson Street. Located at the intersection of Harding Street and South Station Road | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | | 10 | 10 4.5 | 32 | 603 |
| Jayvilla Court | Narrow Lane | Raceview | 9 | Replace unsafe road drainage grate | 225347 | Located at the intersection of Jayvilla Not an existing cycle facility | Within 500m of a School | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | | 10 | 10 4.5 | 32 | 604 |
| Javvilla Court | Narrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 230069 | Located at the intersection of Jayvilla Not an existing cycle facility | Within 500m of a School | Route Within 500m of a Cycle | 2 | 4 | 4 | 3 | | 10 | 10 4.5 | 32 | 605 |
| Redbank Plains Road | Narrow Lane | Bellbird Park | 2 | Replace unsafe road drainage grate | 230070 | Redbank Plains road is an Arterial Not an existing cycle facility | Within 500m of a School | Route Located within 500m of | 2 | 4 | 4 | 3 | | 10 | 10 4.5 | 32 | 606 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227481 | Road Redbank Plains road is an Arterial Not an existing cycle facility | Within 500m of a School | a Cycle Route Located within 500m of | 2 | 4 | | 3 | | 10 | 10 4.5 | 32 | 607 |
| Redbank Plains Road | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227482 | Redbank Plains road is an Arterial Not an existing cycle facility | Within 500m of a School | a Cycle Route Located within 500m of | 2 | 4 | | 3 | | 10 | 10 4.5 | 32 | 608 |
| Glenross Drive | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227483 | Road Located at the intersection of Not an existing cycle facility | Within 500m of Activity Centre | a Cycle Route Within 500m of a Cycle | 2 | 4 | - | 3 | | 10 | 10 4.5 | 32 | 609 |
| Hams Terrace | Wide Lane - More than 5m | Pine Mountain | 10 | Replace unsafe road drainage grate | 232150 | Gienross Drive and Bayley Road | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | | 3 | • | 10 | 10 4.5 | 32 | 610 |
| | Wide Lane - More than 5m | Ipswich | 7 | | 220751 | 3,7,1 | , | Route Within 500m of a Cycle | 2 | | - | _ | | | | | |
| Hams Terrace Javvilla Court | Wide Lane - More than 5m | Ipswich | 7 | Replace unsafe road drainage grate | 220752 | Moffatt Street is a Sub-Arterial Not an existing cycle facility Redbank Plains Road ia an Arterial | Within 500m of Activity Centre | Route Within 500m of a Cycle | 2 | 4 | | 3 | | 10 | 10 4.5 | 32 | 611 |
| | Wide Lane - Lane Treatments | Bellbird Park | 2 | Replace unsafe road drainage grate | 227480 | Road Not an existing cycle facility Located at the intersection of | Within 500m of a School | Route Within 500m of a Cycle | 2 | 4 | - | 3 | | 10 | | 32 | |
| Macalister Street | Right Side of Lane | Ipswich | 7 | Replace unsafe road drainage grate | 220773 | Macalister Street and moffatt Street. Not an existing cycle facility Located at the intersection of Herbert | Within 500m of Activity Centre Within 500m of Major Public | Route Within 500m of a Cycle | _ | - | - | - | | 10 | 10 4.5 | 32 | 613 |
| Tiger Street | Incorrect K&C | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 219094 | Street and Tiger Street. Located at the intersection of Willow | Transport Station | Route | 2 | 4 | - | - | | 10 | 10 4.5 | 32 | 614 |
| Willow Road West | Wide Lane - More than 5m | Redbank Plains | 9 | Replace unsafe road drainage grate | 226514 | Road West and Boyd Street Cocated at the intersection of | Within 1km of a School Within 1km of Collingwood | Local Transport Located within 500m of | 2 | 4 | - | 6 | | 10 | 5 9 | 31 | 615 |
| Goss Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 226153 | Collingwood Drive and Goss Drive + Not an existing cycle facility Cocaled the Mainstead Not an existing cycle facility | Park State School Within 1km of Collingwood | a Cycle Route Located within 500m of | 3 | 4 | | | | 10 | 5 4.5 | 30 | 616 |
| Lawrie Drive | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 227526 | Drive and Mclinnerney Street + Not an existing cycle facility No notable safety improvement | Park State School Within 250m of a Major Public | a Cycle Route Located within 500m of | 3 | 4 | - | | | 10 | 5 4.5 | 30 | 617 |
| Joyce Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 215574 | Not an existing cycle facility No notable safety improvement No notable safety improvement | Transport Station | a cycle route Located within 500m of | 0 | 4 | | | | 10 | 15 4.5 | 30 | 618 |
| Mill Street | Narrow Lane | Goodna | 2 | Replace unsafe road drainage grate | 229499 | No notable safety improvement Not an existing cycle facility No notable safety improvement | Within 250m of Activity Centre Within 250m of Major Public | a Cycle Route | 0 | 4 | - | | | 10 | 15 4.5 | 30 | 619 |
| Coronation Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215636 | No notable safety improvement parameter comments Not an existing cycle facility | Transport Station | Within 500m of a Cycle Route | 0 | 4 | 6 | 3 | 0 | 10 | 15 4.5 | 30 | 620 |

| | | 1 | | | | h | | MCH: 250 (MA: D.H. | W | | | | $\overline{}$ | | 1 1 | | | |
|-------------------|--|------------------|----|------------------------------------|--------|---|-----------------------------------|--|---|-----------------|---|-------|---------------|----|---------|-----|----|-----|
| Coronation Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215637 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 621 |
| James Street | | | | Replace unsafe road drainage grate | | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 622 |
| | Wide Lane - More than 5m | East Ipswich | 5 | | 215660 | No notable safety improvement | | Within 250m of Major Public | Located within 500m of | | | - | _ | | | | | |
| James Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215661 | parameter comments | Not an existing cycle facility | Transport Station | a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 623 |
| James Street | Wide Lane - More than 5m | East Ipswich | _ | Replace unsafe road drainage grate | 215663 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 624 |
| Coronation Street | Wide Lane - Wore than 5m | East Ipswicii | , | Replace unsafe road drainage grate | 213003 | No notable safety improvement | Not an existing cycle facility | Within 250m of Major Public | Within 500m of a Cycle | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 625 |
| COTONICION SUCCE | Wide Lane - More than 5m | East Ipswich | 5 | neplace unsale road drainage grate | 215944 | parameter comments | Not all existing cycle facility | Transport Station Within 250m of Major Public | Route Within 500m of a Cycle | Ů | - | | | 10 | 13 | 4.5 | 30 | |
| Coronation Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215945 | No notable safety improvement parameter comments | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 626 |
| James Street | | | | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 250m of Major Public | Located within 500m of | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 627 |
| | Wide Lane - More than 5m | East Ipswich | 5 | | 215946 | No notable safety improvement | | Transport Station Within 250m of Major Public | a cycle route Within 500m of a Cycle | _ | | _ | +- | - | H | | | |
| Coronation Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215947 | parameter comments | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 628 |
| James Street | Milds I am Adam Aban Fan | Foot towardsh | _ | Replace unsafe road drainage grate | 245074 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 629 |
| James Street | Wide Lane - More than 5m | East Ipswich | 3 | Replace uprafe road drainage grate | 215974 | No notable safety improvement | Not an existing such facility | Within 250m of Major Public | Located within 500m of | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 630 |
| James Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215975 | parameter comments | Not an existing cycle facility | Transport Station | a cycle route | U | * | - 3 | | 10 | 13 | 4.5 | 30 | 030 |
| James Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215977 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 631 |
| Mining Street | | | | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 250m of Major Public | Within 500m of a Cycle | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 632 |
| | Wide Lane - More than 5m | Bundamba | 4 | | 223056 | parameter comments No notable safety improvement | + | Transport Station Within 250m of Major Public | Route Within 500m of a Cycle | | | | _ | | | | | |
| Mining Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223057 | parameter comments | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 633 |
| Mining Street | | | | Replace unsafe road drainage grate | | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 634 |
| | Wide Lane - More than 5m | Bundamba | 4 | D | 223064 | No notable safety improvement | Net an existing a selection. | Within 250m of Major Public | Within 500m of a Cycle | 0 | 4 | 6 3 | . 0 | 10 | 15 | 4.5 | 30 | 635 |
| Mining Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223065 | parameter comments | Not an existing cycle facility | Transport Station | Route | U | 4 | b 3 | | 10 | 15 | 4.5 | 30 | 635 |
| Mining Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223066 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 250m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 636 |
| Mining Street | | | | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 250m of Major Public | Within 500m of a Cycle | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 637 |
| | Wide Lane - More than 5m | Bundamba | 4 | | 223067 | parameter comments No notable safety improvement | | Transport Station Within 250m of Major Public | Route Within 500m of a Cycle | | | | | _ | | | | |
| Mining Street | Wide Lane - More than 5m | Bundamba | 4 | Replace unsafe road drainage grate | 223068 | parameter comments | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 638 |
| Mining Street | | | | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 250m of Major Public | Within 500m of a Cycle | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 639 |
| | Wide Lane - More than 5m | Bundamba | 4 | | 223069 | parameter comments Located at the end of a dead-end | | Transport Station | Route Located within 500m of | _ | | _ | +- | - | H | | | |
| Joyce Street | End of road | East Ipswich | 5 | Replace unsafe road drainage grate | 215569 | road | Not an existing cycle facility | Within 250m of a School | a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 640 |
| Joyce Street | End of road | East Ipswich | 5 | Replace unsafe road drainage grate | 215570 | Located at the end of a dead-end road | Not an existing cycle facility | Within 250m of a School | Located within 500m of a cycle route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 641 |
| Merton Street | | 2001. | | Replace unsafe road drainage grate | | Located at the end of a dead-end | Not an existing cycle facility | Within 250m of Major Public | Located within 500m of | 0 | 4 | 6 3 | . 0 | 10 | 15 | 4.5 | 30 | 642 |
| | End of road | East Ipswich | 5 | neplace ansare road aramage grate | 215939 | road No notable safety improvement | + | Transport Station | a cycle route Located within 500m of | | | | | | - | | | - |
| Mill Street | Incorrect K&C | Goodna | 2 | Replace unsafe road drainage grate | 229498 | parameter comments | Not an existing cycle facility | Within 250m of Activity Centre | a Cycle Route | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 643 |
| Railway Street | | | | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 250m of a School | Within 500m of a Cycle | 0 | 4 | 6 3 | 0 | 10 | 15 | 4.5 | 30 | 644 |
| | Incorrect K&C | Rosewood | 10 | | 929539 | parameter comments | | | Route | _ | | _ | + | - | | | | |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 219574 | Toongarra Road and Avon Street + Tocaceura Road icersectionial Road | Not an existing cycle facility | Within 1km of a School | 0 | 4 | 4 | 2 0 | 14 | 10 | 5 | 0 | 29 | 645 |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 219616 | Toongarra Road and Finch Street + | Not an existing cycle facility | Within 1km of a School | 0 | 4 | 4 | 2 0 | 14 | 10 | 5 | 0 | 29 | 646 |
| Stuart Street | | | Ü | Replace unsafe road drainage grate | | No notable safety improvement | Not an existing cycle facility | Within 500m of a School | Local Transport | 0 | 4 | 4 6 | . 0 | 10 | 10 | 9 | 29 | 647 |
| | Wide Lane - More than 5m | Goodna | 2 | | 229175 | parameter comments No notable safety improvement | + | | , | - | | | | _ | | | | |
| Stuart Street | Wide Lane - More than 5m | Goodna | 2 | Replace unsafe road drainage grate | 229176 | parameter comments | Not an existing cycle facility | Within 500m of a School | Local Transport | 0 | 4 | 4 6 | 0 | 10 | 10 | 9 | 29 | 648 |
| Willow Road West | | Budhari | _ | Replace unsafe road drainage grate | 220 | Located at the intersection of Willov | Not on an existing cycle facility | Within 2km of a School | Local Transport | 2 | 4 | 1 6 | 7 | 10 | 2.5 | 9 | 29 | 649 |
| unbaskill Based | Narrow Lane | Redbank Plains | 9 | Dealers weeks and dealer | 226515 | Road West and Boyd Street | | Within 500- of Astinity Co. | Within 500m of a Cycle | | | | - | 10 | 10 | 4.5 | 20 | |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 221176 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 650 |
| Whitehill Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221251 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 651 |
| Whitehill Road | ATTENDED OF THE PROPERTY OF TH | NUCCEICH | | Replace unsafe road drainage grate | | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 652 |
| | Wide Lane - More than 5m | Raceview | 7 | neplace unsale road dramage grate | 221252 | | Total Casting Cycle racinty | , | Route Within 500m of a Cycle | | | | | | | | | - |
| Whitehill Road | Wide Lane - More than 5m | Raceview | 7 | Replace unsafe road drainage grate | 221253 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Route Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 653 |
| Lawrie Drive | | | | Replace unsafe road drainage grate | | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | Located within 500m of | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 654 |
| | Wide Lane - More than 5m | Collingwood Park | 3 | | 227512 | | | | a Cycle Route Located within 500m of | | | \pm | +- | | 1 1 | 4.5 | 20 | |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227520 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 655 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227521 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 656 |
| Lawrie Drive | THAT AIME AND | _omigwoou rdfk | 3 | Replace unsafe road drainage grate | **/361 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | Located within 500m of | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 657 |
| - Dire | Wide Lane - More than 5m | Collingwood Park | 3 | neplace unsale road dramage grate | 227662 | Course Drive is a iviajor confector | Total Casting Cycle racinty | VIII. Soom of a school | a Cycle Route Located within 500m of | - | | - - | | | | | | |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 227663 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 658 |
| Eleazar Drive | | | | Replace unsafe road drainage grate | | Eleazar Drive is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 | 28 | 659 |
| | Wide Lane - More than 5m | Blacksoil | 10 | | 232167 | | • | | Route | $\sqcup \sqcup$ | | | | | \perp | | | |

| | + | | | | | | | | | | | | | | | | | |
|--------------------|-----------------------------|-------------------|----|------------------------------------|--------|--|-----------------------------------|--|---|---|---|-----|-----|----|-----|--------|----------|-------------|
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 236240 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 660 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | , | Replace unsafe road drainage grate | 236241 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 500m of a School | Located within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 661 |
| Whitehill Road | | | _ | Replace unsafe road drainage grate | 870283 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 662 |
| Whitehill Road | Wide Lane - More than 5m | Raceview | | Replace unsafe road drainage grate | | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 663 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 9 | Replace unsafe road drainage grate | 221771 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 664 |
| Whitehill Road | Wide Lane - Lane Treatments | Raceview | 9 | Replace unsafe road drainage grate | 221772 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle | 1 | 4 | 4 3 | 3.5 | 10 | 10 | 4.5 28 | 3 | 665 |
| Hayes Street | Wide Lane - Lane Treatments | Raceview | 8 | Replace unsafe road drainage grate | 221773 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 1 | 4 | 4 3 | | | | 4.5 28 | | 666 |
| North Station Road | Wide Lane - Lane Treatments | Raceview | 8 | Replace unsafe road drainage grate | 221281 | North Station Road is a Major | Not an existing cycle facility | Within 1km of Activity Centre | Route Local Transport | 1 | | 2 6 | | | 5 | 9 28 | | 667 |
| Kingsmill Road | Narrow Lane | North Booval | 4 | | 222964 | Collector located at intersection of Williams St | | WILTIIN 1KIII OI Brassaii ACLIVILY | Located within 500m of | 2 | | 2 3 | | 10 | | 4.5 27 | | 668 |
| | Narrow Lane | Coalfalls | 7 | Replace unsafe road drainage grate | 218498 | W and Kinsgmill Rd Located at the intersection of Thorn | , | Centre and Ipswich Adventist School Within 1km of Bremma State | a Cycle Route Located within 500m of | | | | + | | | | | |
| Salisbury Road | Narrow Lane | Ipswich | 8 | Replace unsafe road drainage grate | 220996 | Street and Salisbury Road Located at the intersection of Thorn | Not an existing cycle facility | High Within 1km of Bremma State | a Cycle Route Located within 500m of | 2 | | 2 3 | | 10 | | 4.5 27 | | 669 |
| Salisbury Road | Narrow Lane | Ipswich | 8 | Replace unsafe road drainage grate | 221000 | Street and Salisbury Road | Not an existing cycle facility | High Within 1km of Bremma State | a Cycle Route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | ' | 670 |
| Salisbury Road | Narrow Lane | Ipswich | 8 | Replace unsafe road drainage grate | 221001 | Located at the intersection of Thorn Street and Salisbury Road | Not an existing cycle facility | High | a Cycle Route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 671 |
| Cedar Road | Wide Lane - More than 5m | Redbank Plains | 3 | Replace unsafe road drainage grate | 228634 | Located at the intersection of Glen Brae Street and Cedar Road | Not an existing cycle facility | Within 1km of an Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 672 |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 232077 | Street and Toongarra Road + | Not an existing cycle facility | Within 2km of a School | 0 | 4 | 4 | 1 0 | 14 | 10 | 2.5 | 0 27 | , | 673 |
| Saxelby Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 215539 | Located at the corner of Jacaranda Street and Saxelby Street | Not an existing cycle facility | Within 1km of a School | Located within 500m of a cycle route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 674 |
| Saxelby Street | Narrow Lane | East Ipswich | 5 | Replace unsafe road drainage grate | 215540 | Located at the corner of Jacaranda Street and Saxelby Street | Not an existing cycle facility | Within 1km of a School | Located within 500m of a cycle route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 675 |
| Collingwood Drive | Wide Lane - More than 5m | Collingwood Park | 3 | Replace unsafe road drainage grate | 226175 | Located at the intersection of Bowtel Court and WG Hayden Drive | Not on an existing cycle facility | Within 1km of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 676 |
| Milford Street | Wide Lane - More than 5m | Redhank Plains | | Replace unsafe road drainage grate | 226823 | Located at the corner of Milford Street and Tindle Street. | Not on an existing cycle facility | Within 1km of a School | Within 500m of a Cycle Route | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 677 |
| Hatherton Court | | | 9 | Replace unsafe road drainage grate | | Located at the intersection of | Not on an existing cycle facility | Within 1km of Activity Centre | Located within 500m of | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 678 |
| Hatherton Court | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 227271 | Hatherton Court and Namatjira Drive Located at the intersection of | Not on an existing cycle facility | Within 1km of Activity Centre | a Cycle Route Located within 500m of | 2 | 4 | 2 3 | 7 | 10 | 5 | 4.5 27 | , | 679 |
| Moffatt Street | Narrow Lane | Collingwood Park | 3 | Replace unsafe road drainage grate | 227273 | Hatherton Court and Namatjira Drive Grate is located in parking bay | Not an existing cycle facility | Within 500m of Activity Centre | a Cycle Route Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | , | 680 |
| Herbert Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220798 | No notable safety improvement | Not an existing cycle facility | Within 500m of Major Public | Route Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | | 4.5 25 | | 681 |
| Moffatt Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | | 219099 | parameter comments No notable safety improvement | Not an existing cycle facility | Transport Station Within 500m of Activity Centre | Route Within 500m of a Cycle | 0 | 4 | 4 3 | | 10 | | 4.5 25 | | 682 |
| Moffatt Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220965 | parameter comments No notable safety improvement | | | Route Within 500m of a Cycle | - | | | | | | | | |
| | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220967 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 0 | | | | 10 | | 4.5 25 | | 683 |
| Moffatt Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220970 | parameter comments No notable safety improvement | Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 0 | | 4 3 | | 10 | | 4.5 25 | | 684 |
| Moffatt Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220971 | parameter comments | Not an existing cycle facility | Within 500m of Activity Centre | Route Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | i | 685 |
| Moffatt Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220972 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Activity Centre | Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | i | 686 |
| Moffatt Street | Wide Lane - Lane Treatments | Ipswich | 7 | Replace unsafe road drainage grate | 220975 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | i | 687 |
| Herbert Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 219096 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | i | 688 |
| James Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215976 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | 5 | 689 |
| James Street | Wide Lane - More than 5m | East Ipswich | 5 | Replace unsafe road drainage grate | 215978 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Major Public Transport Station | Located within 500m of a cycle route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | <u>.</u> | 690 |
| Ipswich Street | Wide Lane - More than 5m | Grandchester | 10 | Replace unsafe road drainage grate | 233219 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of a School | Within 500m of a Cycle Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | , | 691 |
| Ipswich Street | Wide Lane - More than 5m | Grandchester | 10 | Replace unsafe road drainage grate | 233220 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of a School | Within 500m of a Cycle Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | 5 | 692 |
| Tiger Street | Wide Lane - More than 5m | | 7 | Replace unsafe road drainage grate | 866921 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Major Public Transport Station | Within 500m of a Cycle Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | , | 693 |
| Tiger Street | | Sadliers Crossing | - | Replace unsafe road drainage grate | | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Major Public Transport Station | Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | , | 694 |
| Tiger Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 866922 | No notable safety improvement | Not an existing cycle facility | Within 500m of Major Public | Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | 5 | 695 |
| Tiger Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 866923 | No notable safety improvement | Not an existing cycle facility | Transport Station Within 500m of Major Public | Route Within 500m of a Cycle | 0 | 4 | 4 3 | 0 | 10 | | 4.5 25 | + | 696 |
| Tiger Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 866924 | parameter comments No notable safety improvement | Not an existing cycle facility | Transport Station Within 500m of Major Public | Route Within 500m of a Cycle | 0 | | 4 3 | | 10 | | 4.5 25 | | 697 |
| 0 | Wide Lane - More than 5m | Sadliers Crossing | 7 | | 866925 | parameter comments No notable safety improvement | | Transport Station Within 500m of Major Public | Route Within 500m of a Cycle | - | - | | | | | | | |
| Tiger Street | Wide Lane - More than 5m | Sadliers Crossing | 7 | Replace unsafe road drainage grate | 866926 | parameter comments | Not an existing cycle facility | Transport Station | Route | 0 | 4 | 4 3 | 0 | 10 | 10 | 4.5 25 | , | 698 |

| Enid Street | Incorrect K&C | Goodna | 2 | Replace unsafe road drainage grate | 229513 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Activity Centre | Located within 500m of a Cycle Route | 0 | 4 | 4 | 3 | 0 10 | 10 | 4.5 | 25 | 699 |
|------------------|-----------------------------|------------------|-----|------------------------------------|--------|---|--------------------------------|---|---|---|---|---|---|--------|-----|-----|----|-----|
| Enid Street | Incorrect K&C | Goodna | 2 | Replace unsafe road drainage grate | 229514 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of Activity Centre | Located within 500m of a Cycle Route | 0 | 4 | 4 | 3 | 0 10 | 10 | 4.5 | 25 | 700 |
| Railway Street | Incorrect K&C | Rosewood | 10 | Replace unsafe road drainage grate | 235179 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 500m of a School | Within 500m of a Cycle Route | 0 | 4 | 4 | 3 | 0 10 | 10 | 4.5 | 25 | 701 |
| Edwards Street | Narrow Lane | Flinders View | 9 | Replace unsafe road drainage grate | 237342 | Located at the intersection of Discovery Street and Edwards Street | Not an existing cycle facility | Within 2km of Bethany Lutheran Primary School | Within 500m of a Cycle Route | 2 | 4 | 1 | 3 | 7 10 | 2.5 | 4.5 | 24 | 702 |
| Edwards Street | Narrow Lane | Flinders View | 9 | Replace unsafe road drainage grate | 237344 | Located at the intersection of Discovery Street and Edwards Street | Not an existing cycle facility | Within 2km of Bethany Lutheran Primary School | Within 500m of a Cycle Route | 2 | 4 | 1 | 3 | 7 10 | 2.5 | 4.5 | 24 | 703 |
| Danyel Court | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226506 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 704 |
| Danyel Court | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226507 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 705 |
| Danyel Court | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226509 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 706 |
| Danyel Court | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226510 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 707 |
| Danyel Court | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226511 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 708 |
| Willow Road West | Narrow Lane | Redbank Plains | 3 | Replace unsafe road drainage grate | 226516 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 709 |
| Danyel Court | End of Road | Redbank Plains | 9 | Replace unsafe road drainage grate | 226518 | Located at the end of a cul-de-sac | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 710 |
| Danyel Court | End of Road | Redbank Plains | 9 | Replace unsafe road drainage grate | 226519 | Located at the end of a cul-de-sac | Not an existing cycle facility | Within 1km of a School | Local Transport | 0 | 4 | 2 | 6 | 0 10 | 5 | 9 | 24 | 711 |
| Bertha Street | Wide Lane - More than 5m | Goodna | 2 | Replace unsafe road drainage grate | 234201 | Bertha Street is a Major Collector | Not an existing cycle facility | Within 1km of Activity Centre | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 712 |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 221177 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 1km of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 713 |
| Whitehill Road | Wide Lane - More than 5m | Eastern Heights | 7 | Replace unsafe road drainage grate | 221191 | Whitehill Road is a Major Collector | Not an existing cycle facility | Within 1km of a School | Within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 714 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227506 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 715 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227507 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 716 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227508 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 717 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227509 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 718 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227659 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 719 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227660 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 720 |
| Lawrie Drive | Wide Lane - More than 5m | Collingwood Park | k 3 | Replace unsafe road drainage grate | 227661 | Lawrie Drive is a Major Collector | Not an existing cycle facility | Within 1km of a School | Located within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 721 |
| Whitehill Road | Incorrect K&C | Eastern Heights | 7 | Replace unsafe road drainage grate | 221127 | Whitehill Road is a Major Collector | Not an existign cycle facility | Within 1km of Activity Centre | Within 500m of a Cycle Route | 1 | 4 | 2 | 3 | 3.5 10 | 5 | 4.5 | 23 | 722 |
| Toongarra Road | Wide Lane - Lane Treatments | Leichhardt | 6 | Replace unsafe road drainage grate | 232078 | Toongarra Road is an Arterial | Not an existing cycle facility | Within 1km of a Major Public Transport Station | 0 | 2 | 4 | 2 | 0 | 7 10 | 5 | 0 | 22 | 723 |
| Shine Street | Narrow Lane | One Mile | 8 | Replace unsafe road drainage grate | 219278 | Located at intersection of Old Toowoomba Road and Shine Street. | Not an existing cycle facility | Within 100m of Activity Centre | Within 500m of a Cycle Route | 2 | 4 | 0 | 3 | 7 10 | 0 | 4.5 | 22 | 724 |
| Mur Boulevard | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231185 | Mur Boulevarde is a Major Collector | Not an existing cycle facility | Within 2km of a School | Within 500m of a Cycle Route | 1 | 4 | 1 | 3 | 3.5 10 | 2.5 | 4.5 | 21 | 725 |
| Mur Boulevard | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231186 | Mur Boulevarde is a Major Collector | Not an existing cycle facility | Within 2km of a School | Within 500m of a Cycle Route | 1 | 4 | 1 | 3 | 3.5 10 | 2.5 | 4.5 | 21 | 726 |
| Mur Boulevard | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231188 | Mur Boulevarde is a Major Collector | Not an existing cycle facility | Within 2km of a School | Within 500m of a Cycle Route | 1 | 4 | 1 | 3 | 3.5 10 | 2.5 | 4.5 | 21 | 727 |
| Mur Boulevard | Wide Lane - More than 5m | Springfield | 1 | Replace unsafe road drainage grate | 231189 | Mur Boulevarde is a Major Collector | Not an existing cycle facility | Within 2km of a School | Within 500m of a Cycle Route | 1 | 4 | 1 | 3 | 3.5 10 | 2.5 | 4.5 | 21 | 728 |
| Cedar Road | End of Road | Redbank Plains | 3 | Replace unsafe road drainage grate | 228632 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of Activity Centre | Within 500m of a Cycle Route | 0 | 4 | 2 | 3 | 0 10 | 5 | 4.5 | 20 | 729 |
| Kirton Street | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226831 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Within 500m of a Cycle Route | 0 | 4 | 2 | 3 | 0 10 | 5 | 4.5 | 20 | 730 |
| Kirton Street | Narrow Lane | Redbank Plains | 9 | Replace unsafe road drainage grate | 226832 | No notable safety improvement parameter comments | Not an existing cycle facility | Within 1km of a School | Within 500m of a Cycle Route | 0 | 4 | 2 | 3 | 0 10 | 5 | 4.5 | 20 | 731 |
| Jacaranda Street | Wide Lane - Lane Treatments | East Ipswich | 5 | Replace unsafe road drainage grate | 216152 | Jacaranda Street is a Sub-Arterial Road | Not an existing cycle facility | 0 | 0 | 2 | 4 | 0 | 0 | 7 10 | 0 | 0 | 17 | 732 |
| | | | | | | | | | | | | | | | | | | |

 $Note: Distances \ to \ Activity \ Centres \ have \ been \ calculated \ using \ the \ Activity \ Centres \ identified \ in \ the \ Ipswich \ Planning \ Scheme$